

Genus	Species	English	Distribution by Region								Altitude m.		Endemic	Threat	Birds
			TU	PI	LB	LL	CA	AM	SM	LO	Min.	Max.	EBA	IUCN	of Peru
<b>Tinamidae</b>			<b>Tinamous</b>												
<i>Tinamus</i>	<i>tao</i>	Grey Tinamou		x		x	x	x	x	x	400	1600			30,3
<i>Tinamus</i>	<i>major</i>	Great Tinamou						x	x	x		1400			30,3
<i>Tinamus</i>	<i>guttatus</i>	White-throated Tinamou						x	x	x		1100			30,4
<i>Nothocercus</i>	<i>bonapartei</i>	Highland Tinamou					x	x			1800	2100			30,5
<i>Nothocercus</i>	<i>julius</i>	Tawny-breasted Tinamou		x		x	x	x	x		2500	3000			30,6
<i>Nothocercus</i>	<i>nigrocapillus</i>	Hooded Tinamou				x	x	x	x		1300	2500			30,7
<i>Crypturellus</i>	<i>cinereus</i>	Cinereous Tinamou						x	x	x		1000			32,1
<i>Crypturellus</i>	<i>soui</i>	Little Tinamou	x				x	x	x	x		1350			32,2
<i>Crypturellus</i>	<i>obsoletus</i>	Brown Tinamou		x		x	x	x	x		900	2500			32,3
<i>Crypturellus</i>	<i>undulatus</i>	Undulated Tinamou				x		x	x	x		900			32,4
<i>Crypturellus</i>	<i>transfasciatus</i>	Pale-browed Tinamou	x	x	x							800	TR	NT	34,5
<i>Crypturellus</i>	<i>strigulosus</i>	Brazilian Tinamou								x		400			34,4
<i>Crypturellus</i>	<i>duidae</i>	Grey-legged Tinamou								x		300			34,1
<i>Crypturellus</i>	<i>variegatus</i>	Variegated Tinamou								x		950			32,5
<i>Crypturellus</i>	<i>bartletti</i>	Bartlett's Tinamou								x		900			32,6
<i>Crypturellus</i>	<i>casiquiare</i>	Barred Tinamou								x		300			34,3
<i>Crypturellus</i>	<i>tataupa</i>	Tataupa Tinamou					x	x	x		200	1300			34,7
<i>Nothoprocta</i>	<i>ornata</i>	Ornate Tinamou				x					3300	4400			36,2
<i>Nothoprocta</i>	<i>pentlandii</i>	Andean Tinamou	x	x	x	x	x				2000	3600			36,4
<i>Nothoprocta</i>	<i>curvirostris</i>	Curve-billed Tinamou		x	x	x	x	x	x		2800	3600			36,5
<b>Cracidae</b>			<b>Guan</b>												
<i>Ortalis</i>	<i>erythroptera</i>	Rufous-headed Chachalaca	x	x								900	TR	VU	46,1
<i>Ortalis</i>	<i>guttata</i>	Speckled Chachalaca					x	x	x	x		1700			46,2
<i>Penelope</i>	<i>barbata</i>	Bearded Guan		x	x		x				1700	3000		VU	48,3
<i>Penelope</i>	<i>montagnii</i>	Andean Guan				x		x	x		1700	3500			48,4
<i>Penelope</i>	<i>purpurascens</i>	Crested Guan	x									800			48,5
<i>Penelope</i>	<i>albipennis</i>	White-winged Guan		x	x		x				300	1200	TR	CR	48,1
<i>Penelope</i>	<i>jacquacu</i>	Spix's Guan						x	x	x		1500			48,6
<i>Pipile</i>	<i>cumanensis</i>	Blue-throated Piping Guan						x	x	x		700			50,1
<i>Aburria</i>	<i>aburri</i>	Wattled Guan				x	x	x	x	x	650	2200		NT	50,2
<i>Chamaepetes</i>	<i>goudotii</i>	Sickle-winged Guan		x		x	x	x	x		900	2200			48,2
<i>Nothocrax</i>	<i>urumutum</i>	Nocturnal Curassow						x		x		600			50,5
<i>Mitu</i>	<i>salvini</i>	Salvin's Curassow						x		x		300			50,3
<i>Mitu</i>	<i>tuberosum</i>	Razor-billed Curassow								x		1350			50,4
<i>Crax</i>	<i>globulosa</i>	Wattled Curassow						x		x		300		EN	50

Odontophoridae		New World Quails	TU	PI	LB	LL	CA	AM	SM	LO				
<i>Odontophorus</i>	<i>gujanensis</i>	Marbled Wood Quail							x	x		1800		46,4
<i>Odontophorus</i>	<i>speciosus</i>	Rufous-breasted Wood Quail				x	x	x	x		900	2600		46,3
<i>Odontophorus</i>	<i>stellatus</i>	Starred Wood Quail						x	x	x		1000		46,6
Anhimidae		Screamers	TU	PI	LB	LL	CA	AM	SM	LO				
<i>Anhima</i>	<i>cornuta</i>	Horned Screamer						x	x	x		900		80,1
Anatidae		Ducks	TU	PI	LB	LL	CA	AM	SM	LO				
<i>Dendrocygna</i>	<i>autumnalis</i>	Black-bellied Whistling Duck	x	x					x	x		500		40,1
<i>Dendrocygna</i>	<i>bicolor</i>	Fulvous Whistling Duck	x	x	x					x		500		40,2
<i>Merganetta</i>	<i>armata</i>	Torrent Duck		x	x	x	x	x	x		900	3500		44,4
<i>Sarkidiornis</i>	<i>sylvicola</i>	Comb Duck	x	x	x	x	x	x	x	x		500		40,6
<i>Neochen</i>	<i>jubata</i>	Orinoco Goose								x		400	NT	40,4
<i>Cairina</i>	<i>moschata</i>	Muscovy Duck						x	x	x		400		40,5
<i>Lophonetta</i>	<i>specularioides</i>	Crested Duck				x			x		3500	4800		44,3
<i>Anas</i>	<i>discors</i>	Blue-winged Teal	x	x	x			x	x	x		500		42,5
<i>Anas</i>	<i>cyanoptera</i>	Cinnamon Teal	x	x	x	x						500		42,7
<i>Anas</i>	<i>bahamensis</i>	White-cheeked Pintail	x	x	x	x		x				2000		42,3
<i>Anas</i>	<i>flavirostris</i>	Yellow-billed (Speckled) Teal			x	x	x	x	x		2800	4800		42,4
<i>Anas</i>	<i>andium</i>	Andean Teal	x	x	x		x							[42,4]
<i>Anas</i>	<i>georgica</i>	Yellow-billed Pintail				x	x	x	x		3200	4400		42,1
<i>Anas</i>	<i>puna</i>	Puna Teal				x		x	x		3000	4600		42,2
<i>Netta</i>	<i>erythrophthalma</i>	Southern Pochard			x			x	x		0	3500		44
<i>Nomonyx</i>	<i>dominicus</i>	Masked Duck				x	x	x	x	x	100	3500		44,1
<i>Oxyura</i>	<i>ferruginea</i>	Andean Duck			x	x		x	x		2800	4500		44,2
Spheniscidae		Penguins	TU	PI	LB	LL	CA	AM	SM	LO				
<i>Spheniscus</i>	<i>humboldti</i>	Humboldt Penguin		x	x	x					0		VU	70,1
Diomedeidae		Albatrosses	TU	PI	LB	LL	CA	AM	SM	LO				
<i>Phoebastria</i>	<i>irrorata</i>	Waved Albatross	x	x	x						0		CR	54,1
<i>Diomedea</i>	<i>exulans</i>	Wandering Albatross									0			0
<i>Diomedea</i>	<i>epomophora</i>	Southern Royal Albatross									0			0
<i>Thalassarche</i>	<i>melanophris</i>	Black-browed Albatross		x							0		EN	56,4
<i>Thalassarche</i>	<i>cauta</i>	Shy Albatross		x							0			56,2
<i>Thalassarche</i>	<i>eremita</i>	Chatham Island Albatross		x							0		VU	56
<i>Thalassarche</i>	<i>salvini</i>	Salvin's Albatross		x							0		VU	56
<i>Thalassarche</i>	<i>chrysostoma</i>	Grey-headed Albatross									0			56,3
<i>Thalassarche</i>	<i>bulleri</i>	Buller's Albatross									0		NT	56,1
Procellariidae		Shearwaters	TU	PI	LB	LL	CA	AM	SM	LO				

<i>Macronectes</i>	<i>giganteus</i>	Southern Giant Petrel		x									0			0
<i>Macronectes</i>	<i>halli</i>	Northern Giant Petrel											0			0
<i>Fulmarus</i>	<i>glacialis</i>	Southern Fulmar		x									0			60,1
<i>Daption</i>	<i>capense</i>	Cape Petrel		x									0			62,1
<i>Pachyptila</i>	<i>vittata</i>	Broad-billed Prion											0			0
<i>Pachyptila</i>	<i>desolata</i>	Antarctic Prion											0			0
<i>Pachyptila</i>	<i>belcheri</i>	Slender-billed Prion		x									0			64,2
<i>Pterodroma</i>	<i>externa</i>	Juan Fernandez Petrel											0			58,1
<i>Pterodroma</i>	<i>neglecta</i>	Kermadec Petrel											0			58,2
<i>Pterodroma</i>	<i>phaeopygia</i>	Galapagos Petrel		x	x								0		CR	58,5
<i>Pterodroma</i>	<i>cookii</i>	Cook's Petrel											0		VU	58,4
<i>Pterodroma</i>	<i>defilippiana</i>	De Filippi's Petrel		x									0			58,3
<i>Pterodroma</i>	<i>leucoptera</i>	Gould's Petrel		x									0		VU	0
<i>Procellaria</i>	<i>cinerea</i>	Grey Petrel		x									0		NT	0
<i>Procellaria</i>	<i>aequinoctialis</i>	White-chinned Petrel		x	x								0		VU	62,3
<i>Procellaria</i>	<i>parkinsoni</i>	Black Petrel		x									0		VU	62,4
<i>Procellaria</i>	<i>westlandica</i>	Westland Petrel		x									0			62
<i>Puffinus</i>	<i>pacificus</i>	Wedge-tailed Shearwater											0			60
<i>Puffinus</i>	<i>bulleri</i>	Buller's Shearwater		x									0		VU	60,2
<i>Puffinus</i>	<i>subalaris</i>	Galapagos Shearwater	x	x									0			0
<i>Puffinus</i>	<i>assimilis</i>	Little Shearwater											0			60
<i>Puffinus</i>	<i>griseus</i>	Sooty Shearwater		x	x								0			62,2
<i>Puffinus</i>	<i>creatopus</i>	Pink-footed Shearwater		x	x								0		VU	60,3
<i>Puffinus</i>	<i>carneipes</i>	Flesh-footed Shearwater	x	x									0			62
<b>Hydrobatidae</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Oceanites</i>	<i>oceanicus</i>	Wilson's Storm Petrel		x	x								0			66,1
<i>Oceanites</i>	<i>gracilis</i>	Elliot's Storm Petrel		x	x								0		DD	66,2
<i>Pelagodroma</i>	<i>marina</i>	White-faced Storm Petrel		x									0			64,4
<i>Fregatta</i>	<i>grallaria</i>	White-bellied Storm Petrel											0			64
<i>Fregatta</i>	<i>tropica</i>	Black-bellied Storm Petrel											0			64
<i>Oceanodroma</i>	<i>microsoma</i>	Least Storm Petrel		x									0			64,5
<i>Oceanodroma</i>	<i>tethys</i>	Wedge-rumped Storm Petrel		x									0			66,3
<i>Oceanodroma</i>	<i>castro</i>	Band-rumped Storm Petrel		x									0			66
<i>Oceanodroma</i>	<i>leucorhoa</i>	Leach's Storm Petrel		x									0			66,4
<i>Oceanodroma</i>	<i>markhami</i>	Markham's Storm Petrel		x									0		DD	66,5
<i>Oceanodroma</i>	<i>melania</i>	Black Storm Petrel		x									0			66,6
<i>Oceanodroma</i>	<i>hornbyi</i>	Hornby's Storm Petrel		x									0		DD	64,3

Pelecanoididae		Diving Petrels	TU	PI	LB	LL	CA	AM	SM	LO					
<i>Pelecanoides</i>	<i>garnotii</i>	Peruvian Diving Petrel	x	x	x	x					0			EN	60,4
Podicipedidae		Grebes	TU	PI	LB	LL	CA	AM	SM	LO					
<i>Tachybaptus</i>	<i>dominicus</i>	Least Grebe	x	x	x			x	x	x	0	3000			52,5
<i>Podilymbus</i>	<i>podiceps</i>	Pied-billed Grebe		x	x	x	x	x				200			52,6
<i>Rollandia</i>	<i>rolland</i>	White-tufted Grebe		x	x	x					0	3000			52,2
<i>Podiceps</i>	<i>major</i>	Great Grebe		x	x	x						200			52,7
<i>Podiceps</i>	<i>occipitalis</i>	Silvery Grebe			x	x	x		x		3200	4700			52,3
Phoenicopteridae		Flamingos	TU	PI	LB	LL	CA	AM	SM	LO					
<i>Phoenicopterus</i>	<i>chilensis</i>	Chilean Flamingo	x	x	x						0	200		NT	38,6
Phaethontidae		Tropicbirds	TU	PI	LB	LL	CA	AM	SM	LO					
<i>Phaethon</i>	<i>aethereus</i>	Red-billed Tropicbird		x	x						0				70,4
Ciconiidae		Storks	TU	PI	LB	LL	CA	AM	SM	LO					
<i>Mycteria</i>	<i>americana</i>	Wood Stork	x	x	x	x			x	x		300			38,2
<i>Jabiru</i>	<i>mycteria</i>	Jabiru								x		300			38,3
Threskiornithidae		Ibises	TU	PI	LB	LL	CA	AM	SM	LO					
<i>Theristicus</i>	<i>melanopsis branickii</i>	Black-faced Ibis						x	x		3000	4600			80,4
	<i>m. melanopsis</i>	Black-faced Ibis		x	x							400			[80,4]
<i>Mesembrinibis</i>	<i>cayennensis</i>	Green Ibis						x	x	x		600			80,5
<i>Eudocimus</i>	<i>albus</i>	American White Ibis	x	x	x							200			80,2
<i>Plegadis</i>	<i>ridgwayi</i>	Puna Ibis		x				x			3200	4500			80,3
<i>Platalea</i>	<i>ajaja</i>	Roseate Spoonbill	x	x						x	0	200			74,6
Ardeidae		Hérons	TU	PI	LB	LL	CA	AM	SM	LO					
<i>Tigrisoma</i>	<i>lineatum</i>	Rufescent Tiger Heron						x	x	x	0	900			74,4
<i>Tigrisoma</i>	<i>fasciatum</i>	Fasciated Tiger Heron		x	x	x	x	x	x		350	2000			74,3
<i>Tigrisoma</i>	<i>mexicanum</i>	Bare-throated Tiger Heron	x								0	50			74,2
<i>Agamia</i>	<i>agami</i>	Agami Heron							x	x	0	900			74,5
<i>Cochlearius</i>	<i>cochlearius</i>	Boat-billed Heron			x			x	x	x	0	900			76,4
<i>Zebriilus</i>	<i>undulatus</i>	Zigzag Heron							x	x	0	900			78,6
<i>Ixobrychus</i>	<i>exilis</i>	Least Bittern	x	x	x	x				x	0	300			78,5
<i>Nycticorax</i>	<i>nycticorax</i>	Black-crowned Night Heron	x	x	x	x	x	x	x		0	750			76,7
<i>Nyctanassa</i>	<i>violacea</i>	Yellow-crowned Night Heron	x	x	x	x					0	100			76,6
<i>Butorides</i>	<i>striata</i>	Striated Heron	x	x	x	x	x	x	x	x	0	900			78,4
<i>Bubulcus</i>	<i>ibis</i>	Western Cattle Egret	x	x	x	x	x	x	x	x	0	3000			76,1
<i>Ardea</i>	<i>cocoi</i>	Cocoi Heron	x	x	x	x	x	x	x	x	0	3000			74,1
<i>Ardea</i>	<i>alba</i>	Western Great Egret	x	x	x	x	x	x	x	x	0	3000			76,2
<i>Pilherodius</i>	<i>pileatus</i>	Capped Heron						x	x	x		900			76,5

<i>Egretta</i>	<i>tricolor</i>	Tricolored Heron	x	x	x	x												400				78,3	
<i>Egretta</i>	<i>caerulea</i>	Little Blue Heron	x	x	x	x	x	x											500				78,2
<i>Egretta</i>	<i>thula</i>	Snowy Egret	x	x	x	x	x	x	x	x									500				78,1
<b>Fregatidae</b>		<b>Frigatebirds</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Fregata</i>	<i>magnificens</i>	Magnificent Frigatebird	x	x	x														0				72,1
<i>Fregata</i>	<i>minor</i>	Great Frigatebird	x																0				72
<b>Pelecanidae</b>		<b>Pelicans</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Pelecanus</i>	<i>occidentalis</i>	Brown Pelican	x	x	x														0				54,4
<i>Pelecanus</i>	<i>thagus</i>	Peruvian Pelican			x	x													0			NT	54,3
<b>Sulidae</b>		<b>Boobies</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Sula</i>	<i>neboxii</i>	Blue-footed Booby	x	x	x	x													0				70,3
<i>Sula</i>	<i>variegata</i>	Peruvian Booby	x	x	x	x													0				70,2
<i>Sula</i>	<i>dactylatra</i>	Masked Booby	x	x															0				68,1
<i>Sula</i>	<i>leucogaster</i>	Brown Booby		x															0				68
<i>Sula</i>	<i>granti</i>	Nazca Booby		x	x														0				68
<b>Phalacrocoracidae</b>		<b>Cormorants</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Phalacrocorax</i>	<i>gaimardi</i>	Red-legged Cormorant	x	x	x														0			NT	72,4
<i>Phalacrocorax</i>	<i>brasilianus</i>	Neotropic Cormorant	x	x	x	x					x	x	x						0	1000			72,2
<i>Leucocarbo</i>	<i>bougainvillii</i>	Guanay Cormorant		x	x	x													0			NT	72,3
<b>Anhingidae</b>		<b>Aningas</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Anhinga</i>	<i>anhinga</i>	Anhinga	x								x	x	x							500			72,5
<b>Cathartidae</b>		<b>Vultures</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Cathartes</i>	<i>aura</i>	Turkey Vulture	x	x	x	x	x	x	x	x									0	2200			82,2
<i>Cathartes</i>	<i>burrovianus</i>	Lesser Yellow-headed Vulture																		400			82,3
<i>Cathartes</i>	<i>melambrotus</i>	Greater Yellow-headed Vulture									x	x	x							1300			82,4
<i>Coragyps</i>	<i>atratus</i>	Black Vulture	x	x	x	x	x	x	x	x									0	3000			82,1
<i>Sarcoramphus</i>	<i>papa</i>	King Vulture	x	x	x						x	x	x	x						1300			84,1
<i>Vultur</i>	<i>gryphus</i>	Andean Condor		x	x	x	x	x												4000		NT	84,2
<b>Pandionidae</b>		<b>Ospreys</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Pandion</i>	<i>haliaetus</i>	Western Osprey	x	x	x	x					x	x	x							800			110,1
<b>Accipitridae</b>		<b>Hawks</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>													
<i>Leptodon</i>	<i>cayanensis</i>	Grey-headed Kite									x	x	x							600			86,2
<i>Chondrohierax</i>	<i>uncinatus</i>	Hook-billed Kite	x	x	x						x	x	x	x						3000			94,1
<i>Elanoides</i>	<i>forficatus</i>	Swallow-tailed Kite	x	x	x	x	x	x	x	x										2500			86,1
<i>Gampsonyx</i>	<i>swainsonii</i>	Pearl Kite	x	x	x	x	x	x	x	x										900			86,5
<i>Rostrhamus</i>	<i>sociabilis</i>	Snail Kite																		600			88,2
<i>Helicolestes</i>	<i>hamatus</i>	Slender-billed Kite																		600			98,3

<i>Harpagus</i>	<i>bidentatus</i>	Double-toothed Kite						x	x	x				1300				92,2
<i>Ictinia</i>	<i>plumbea</i>	Plumbeous Kite	x					x	x	x				1500				88,3
<i>Circus</i>	<i>cinereus</i>	Cinereous Harrier	x	x	x	x	x							4200				114,1
<i>Accipiter</i>	<i>poliogaster</i>	Grey-bellied Hawk											x	600				90
<i>Accipiter</i>	<i>supercilliosus</i>	Tiny Hawk						x	x	x				1350				90,1
<i>Accipiter</i>	<i>ventralis</i>	Plain-breasted Hawk		x	x	x	x	x	x					1500	3600			90
<i>Accipiter</i>	<i>bicolor</i>	Bicolored Hawk	x	x	x	x	x	x	x	x				1800				90,4
<i>Geranospiza</i>	<i>caerulescens</i>	Crane Hawk	x	x	x								x	700				88,1
<i>sp nov</i>	<i>check</i>	Allpahuayo Hawk											x					0
<i>Leucopternis</i>	<i>plumbeus</i>	Plumbeous Hawk	x											1500				0
<i>Leucopternis</i>	<i>schistaceus</i>	Slate-colored Hawk						x	x	x				900				98,4
<i>Leucopternis</i>	<i>princeps</i>	Barred Hawk		x			x	x	x					1150	1800			96,6
<i>Leucopternis</i>	<i>melanops</i>	Black-faced Hawk											x	500				96,3
<i>Leucopternis</i>	<i>kuhli</i>	White-browed Hawk								x	x			1100				96,4
<i>Leucopternis</i>	<i>semiplumbeus</i>	Semiplumbeous Hawk											x	500				96,5
<i>Leucopternis</i>	<i>albicollis</i>	White Hawk					x	x	x	x				1500				96,2
<i>Leucopternis</i>	<i>occidentalis</i>	Grey-backed Hawk	x	x										600	800	TR	EN	96,1
<i>Buteogallus</i>	<i>anthracinus</i>	Common (Mangrove) Black Hawk	x											100				100,3
<i>Buteogallus</i>	<i>urubitinga</i>	Great Black Hawk	x	x	x			x	x	x				800				100,2
<i>Buteogallus</i>	<i>meridionalis</i>	Savanna Hawk	x	x	x	x	x	x						700				108,4
<i>Buteogallus</i>	<i>unicinctus</i>	Harris's Hawk	x	x	x	x	x							1200				108,2
<i>Busarellus</i>	<i>nigricollis</i>	Black-collared Hawk								x	x			500				100,4
<i>Geranoaetus</i>	<i>melanoleucus</i>	Black-chested Buzzard-Eagle	x	x	x	x	x	x						500	4000			104,2
<i>Harpyhaliaetus</i>	<i>solitarius</i>	Montane Solitary Eagle		x	x	x	x	x	x	x				700	2100		NT	100,1
<i>Buteo</i>	<i>nitidus</i>	Grey Hawk											x	500				102,5
<i>Buteo</i>	<i>magnirostris</i>	Roadside Hawk	x	x	x	x	x	x	x	x				2600				102,4
<i>Buteo</i>	<i>platypterus</i>	Broad-winged Hawk			x								x	3000				102,3
<i>Buteo</i>	<i>leucorrhous</i>	White-rumped Hawk	x	x	x	x	x	x	x					1650	3300			108,3
<i>Buteo</i>	<i>brachyurus</i>	Short-tailed Hawk	x	x	x			x	x	x				1100				102,2
<i>Buteo</i>	<i>albigula</i>	White-throated Hawk	x	x	x	x	x	x	x					1500	3700			102,1
<i>Buteo</i>	<i>swainsoni</i>	Swainson's Hawk	x		x								x	500				106,2
<i>Buteo</i>	<i>albicaudatus</i>	White-tailed Hawk					x											
<i>Buteo</i>	<i>polyosoma</i>	Variable Hawk	x	x	x	x	x	x	x					4600				104,1
<i>Buteo</i>	<i>albonotatus</i>	Zone-tailed Hawk	x	x	x	x	x	x	x	x				2600				108,1
<i>Morphnus</i>	<i>guianensis</i>	Crested Eagle						x	x	x				1100			NT	110,3
<i>Harpia</i>	<i>harpyja</i>	Harpy Eagle								x	x			600			NT	110,4
<i>Spizaetus</i>	<i>tyrannus</i>	Black Hawk-Eagle	x				x	x	x	x				1800				98,2

<i>Spizaetus</i>	<i>melanoleucus</i>	Black-and-white Hawk-Eagle							x	x	x		1400		VU	86,3							
<i>Spizaetus</i>	<i>ornatus</i>	Ornate Hawk-Eagle							x	x	x		800			110,2							
<i>Spizaetus</i>	<i>isidori</i>	Black-and-chestnut Eagle		x	x	x	x	x	x	x			1700	3500		98,1							
<b>Falconidae</b>			<b>Falcons</b>										<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>			
<i>Daptrius</i>	<i>ater</i>	Black Caracara							x	x	x		750			112,2							
<i>Ibycter</i>	<i>americanus</i>	Red-throated Caracara				x			x	x	x		1500			112,1							
<i>Phalcoboenus</i>	<i>megalopterus</i>	Mountain Caracara		x	x	x	x	x	x	x			3200	4700		112,3							
<i>Caracara</i>	<i>cheriway</i>	Northern Crested Caracara	x	x	x	x							900			112,6							
<i>Milvago</i>	<i>chimachima</i>	Yellow-headed Caracara							x	x	x		900			112,4							
<i>Herpetotheres</i>	<i>cachinnans</i>	Laughing Falcon	x	x	x	x	x	x	x	x	x		1000			92,1							
<i>Micrastur</i>	<i>ruficollis</i>	Barred Forest Falcon	x	x	x	x	x	x	x	x	x		2000			92,4							
<i>Micrastur</i>	<i>gilvicollis</i>	Lined Forest Falcon							x	x	x		1000			92,3							
<i>Micrastur</i>	<i>mirandollei</i>	Slaty-backed Forest Falcon							x	x	x		900			94,4							
<i>Micrastur</i>	<i>semitorquatus</i>	Collared Forest Falcon	x						x	x	x		800			94,2							
<i>Micrastur</i>	<i>buckleyi</i>	Buckley's Forest Falcon							x	x	x		1350			94,3							
<i>Falco</i>	<i>sparverius</i>	American Kestrel	x	x	x	x	x	x	x	x	x		4700			114,4							
<i>Falco</i>	<i>femorals</i>	Aplomado Falcon		x	x	x	x	x	x	x			2400	4300		116,4							
<i>Falco</i>	<i>columbarius</i>	Merlin	x	x	x	x							700			114							
<i>Falco</i>	<i>ruficularis</i>	Bat Falcon	x	x	x	x	x	x	x	x	x		1500			116,2							
<i>Falco</i>	<i>deiroleucus</i>	Orange-breasted Falcon	x	x		x	x	x	x	x	x		2000			116,1							
<i>Falco</i>	<i>peregrinus</i>	Peregrine Falcon	x	x	x	x	x	x	x	x	x		4300			116,3							
<b>Eurypygidae</b>			<b>Sunbitterns</b>										<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>			
<i>Eurypyga</i>	<i>helias</i>	Sunbittern							x	x	x		1800			118,1							
<b>Heliornithidae</b>			<b>Sungrebes</b>										<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>			
<i>Heliornis</i>	<i>fulica</i>	Sungrebe							x	x	x		500			44,5							
<b>Rallidae</b>			<b>Rails</b>										<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>			
<i>Anurolimnas</i>	<i>castaneiceps</i>	Chestnut-headed Crake							x	x	x		200	1500		120,5							
<i>Laterallus</i>	<i>viridis</i>	Russet-crowned Crake							x	x	x		1200			124,4							
<i>Laterallus</i>	<i>fasciatus</i>	Black-banded Crake								x	x		500			124,1							
<i>Laterallus</i>	<i>melanophaeus</i>	Rufous-sided Crake							x	x	x		1050			124,2							
<i>Laterallus</i>	<i>exilis</i>	Grey-breasted Crake							x	x	x		600			124,5							
<i>Rallus</i>	<i>longirostris</i>	Clapper Rail	x	x									100			122,2							
<i>Rallus</i>	<i>limicola</i>	Virginia Rail				x							100			122,1							
<i>Rallus</i>	<i>aequatorialis</i>	Ecuadorian Rail							x				250			0							
<i>Aramides</i>	<i>axillaris</i>	Rufous-necked Wood Rail	x	x									900			118,4							
<i>Aramides</i>	<i>cajanea</i>	Grey-necked Wood Rail							x	x	x		1400			118,5							
<i>Aramides</i>	<i>calopterus</i>	Red-winged Wood Rail							x		x		400			118,6							

<i>Amaurolimnas</i>	<i>concolor</i>	Uniform Crake						x	x	x				1200			120,4
<i>Porzana</i>	<i>carolina</i>	Sora	x										x				122
<i>Porzana</i>	<i>albicollis</i>	Ash-throated Crake											x				122,4
<i>Neocrex</i>	<i>erythropus</i>	Paint-billed Crake	x	x	x	x	x	x	x	x							122,3
<i>Pardirallus</i>	<i>maculatus</i>	Spotted Rail	x	x	x	x	x	x									120,3
<i>Pardirallus</i>	<i>nigricans</i>	Blackish Rail								x	x			400	1050		120,1
<i>Pardirallus</i>	<i>sanguinolentus</i>	Plumbeous Rail		x	x	x	x	x	x					2000	4400		120,2
<i>Porphyrio</i>	<i>martinica</i>	Purple Gallinule	x		x		x	x	x	x							126,2
<i>Porphyrio</i>	<i>flavirostris</i>	Azure Gallinule											x				126,1
<i>Gallinula</i>	<i>chloropus</i>	Common Moorhen	x	x	x	x	x	x	x	x				2200	4400		126,3
<i>Fulica</i>	<i>ardesiaca</i>	Andean Coot		x	x	x	x							2500	4600		126,6
<b>Psophiidae</b>		<b>Trumpeters</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Psophia</i>	<i>crepitans</i>	Grey-winged Trumpeter											x				118,3
<i>Psophia</i>	<i>leucoptera</i>	Pale-winged Trumpeter											x	x			118,2
<b>Aramidae</b>		<b>Limpkins</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Aramus</i>	<i>guarauna</i>	Limpkin							x	x	x						76,3
<b>Burhinidae</b>		<b>Thick-knees</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Burhinus</i>	<i>superciliaris</i>	Peruvian Thick-knee	x	x	x	x	x								2500		130,1
<b>Haematopodidae</b>		<b>Oystercatchers</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Haematopus</i>	<i>ater</i>	Blackish Oystercatcher		x	x	x											128,2
<i>Haematopus</i>	<i>palliatus</i>	American Oystercatcher	x	x	x	x											128,1
<b>Recurvirostridae</b>		<b>Stilts</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Himantopus</i>	<i>melanurus</i>	White-backed Stilt			x												0
<i>Himantopus</i>	<i>mexicanus</i>	Black-necked Stilt	x	x	x	x	x	x	x	x				0	4300		128,7
<b>Charadriidae</b>		<b>Plovers</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Vanellus</i>	<i>chilensis</i>	Southern Lapwing											x				128
<i>Vanellus</i>	<i>resplendens</i>	Andean Lapwing	x	x	x	x	x	x	x					2000	4600		128,4
<i>Hoploxypterus</i>	<i>cayanus</i>	Pied Lapwing			x	x	x	x	x	x							128,5
<i>Pluvialis</i>	<i>dominica</i>	American Golden Plover		x	x								x				130,3
<i>Pluvialis</i>	<i>squatarola</i>	Grey (Black-bellied) Plover	x	x	x	x											130,4
<i>Charadrius</i>	<i>semipalmatus</i>	Semipalmated Plover	x	x	x	x											132,4
<i>Charadrius</i>	<i>wilsonia</i>	Wilson's Plover	x	x													132,5
<i>Charadrius</i>	<i>vociferus</i>	Killdeer	x	x	x	x											132,6
<i>Charadrius</i>	<i>nivosus</i>	Snowy Plover	x	x	x	x											132,2
<i>Charadrius</i>	<i>collaris</i>	Collared Plover	x	x	x	x			x	x	x						132,1
<i>Oreopholus</i>	<i>ruficollis</i>	Tawny-throated Dotterel		x	x	x			x								130,2
<b>Jacanidae</b>		<b>Jacanas</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							



<i>Jacana</i>	<i>jacana</i>	Wattled Jacana	x	x	x	x	x	x	x	x		200			128,3
<b>Thinocoridae</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Attagis</i>	<i>gayi</i>	Rufous-bellied Seedsnipe					x				4400	5000			130,5
<i>Thinocorus</i>	<i>orbignyianus</i>	Grey-breasted Seedsnipe				x	x				3000	4600			130,6
<i>Thinocorus</i>	<i>rumicivorus</i>	Least Seedsnipe		x	x	x	x					400			130,7
<b>Scolopacidae</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Gallinago</i>	<i>paraguaiae</i>	South American Snipe							x	x		300			134,2
<i>Gallinago</i>	<i>andina</i>	Puna Snipe		x	x	x	x	x			3000	4600			134,1
<i>Gallinago</i>	<i>nobilis</i>	Noble Snipe		x	x						2500	4000			134,5
<i>Gallinago</i>	<i>jamesoni</i>	Andean Snipe		x		x	x	x	x		2800	3600			134,3
<i>Gallinago</i>	<i>imperialis</i>	Imperial Snipe		x		x	x	x	x		2750	3500		NT	134,4
<i>Limnodromus</i>	<i>griseus</i>	Short-billed Dowitcher	x	x	x	x						100			136,1
<i>Limosa</i>	<i>haemastica</i>	Hudsonian Godwit	x	x	x	x						100			136,3
<i>Limosa</i>	<i>fedoa</i>	Marbled Godwit	x	x	x							100			136,4
<i>Numenius</i>	<i>phaeopus</i>	Whimbrel	x	x	x	x						100			136,5
<i>Numenius</i>	<i>americanus</i>	Long-billed Curlew	x	x								100			305
<i>Bartramia</i>	<i>longicauda</i>	Upland Sandpiper							x	x		500			142,1
<i>Tringa</i>	<i>melanoleuca</i>	Greater Yellowlegs	x	x	x	x	x	x	x	x		4000			138,2
<i>Tringa</i>	<i>flavipes</i>	Lesser Yellowlegs	x	x	x	x	x	x	x	x		4000			138,1
<i>Tringa</i>	<i>solitaria</i>	Solitary Sandpiper	x	x	x	x	x	x	x	x		4000			138,4
<i>Tringa</i>	<i>incana</i>	Wandering Tattler	x	x	x	x						200			144,3
<i>Tringa</i>	<i>semipalmata</i>	Willet	x	x	x	x						200			136,2
<i>Actitis</i>	<i>macularius</i>	Spotted Sandpiper	x	x	x	x	x	x	x	x		1500			138,5
<i>Arenaria</i>	<i>interpres</i>	Ruddy Turnstone	x	x	x	x				x		200			144,1
<i>Aphriza</i>	<i>virgata</i>	Surfbird	x	x	x	x						200			144,2
<i>Calidris</i>	<i>canutus</i>	Red Knot	x	x	x	x						200			142,4
<i>Calidris</i>	<i>alba</i>	Sanderling	x	x	x	x						200			142,3
<i>Calidris</i>	<i>pusilla</i>	Semipalmated Sandpiper		x	x	x						200			140,2
<i>Calidris</i>	<i>mauri</i>	Western Sandpiper	x	x	x	x						200			140,3
<i>Calidris</i>	<i>ruficollis</i>	Red-necked Stint										200			142
<i>Calidris</i>	<i>minutilla</i>	Least Sandpiper	x	x	x	x						200			140,1
<i>Calidris</i>	<i>fuscollis</i>	White-rumped Sandpiper								x		200			140,4
<i>Calidris</i>	<i>bairdii</i>	Baird's Sandpiper	x	x	x	x	x	x	x			4600			140,5
<i>Calidris</i>	<i>melanotos</i>	Pectoral Sandpiper	x	x	x	x	x	x	x	x		4500			140,6
<i>Calidris</i>	<i>ferruginea</i>	Curlew Sandpiper		x	x							200			142
<i>Calidris</i>	<i>alpina</i>	Dunlin		x	x							200			142
<i>Calidris</i>	<i>himantopus</i>	Stilt Sandpiper	x	x	x	x				x		500			138,3

<i>Tryngites</i>	<i>subruficollis</i>	Buff-breasted Sandpiper			x					x				500		NT	142,2
<i>Phalaropus</i>	<i>tricolor</i>	Wilson's Phalarope		x	x	x	x	x	x	x				3500			144,6
<i>Phalaropus</i>	<i>lobatus</i>	Red-necked Phalarope		x	x									100			144,4
<i>Phalaropus</i>	<i>fulicarius</i>	Red Phalarope	x	x	x	x								100			144,5
<b>Laridae</b>		<b>Gulls</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Rynchops</i>	<i>niger</i>	Black Skimmer	x	x	x					x				0			152,7
<i>Anous</i>	<i>minutus</i>	Black Noddy	x	x										0			305
<i>Gygis</i>	<i>alba</i>	White Tern	x	x	x	x								100			0
<i>Creagrus</i>	<i>furcatus</i>	Swallow-tailed Gull	x	x	x	x								0			148,5
<i>Rissa</i>	<i>tridactyla</i>	Black-legged Kittiwake			x									0			150
<i>Xema</i>	<i>sabini</i>	Sabine's Gull			x									0			148,6
<i>Chroicocephalus</i>	<i>serranus</i>	Andean Gull		x	x	x	x	x	x				2500	4400			150,4
<i>Chroicocephalus</i>	<i>cirrocephalus</i>	Grey-hooded Gull	x	x	x	x								0			150,3
<i>Leucophaeus</i>	<i>atricilla</i>	Laughing Gull	x	x	x	x								0			150,1
<i>Leucophaeus</i>	<i>pipixcan</i>	Franklin's Gull	x	x	x	x								0			150,2
<i>Leucophaeus</i>	<i>modestus</i>	Grey Gull	x	x	x	x								0			148,3
<i>Larus</i>	<i>belcheri</i>	Belcher's Gull		x	x	x								0			148,2
<i>Larus</i>	<i>dominicanus</i>	Kelp Gull	x	x	x	x								0			148,1
<i>Gelochelidon</i>	<i>nilotica</i>	Gull-billed Tern	x	x	x	x								0			154,1
<i>Thalasseus</i>	<i>maximus</i>	Royal Tern	x	x	x	x								0			152,4
<i>Thalasseus</i>	<i>elegans</i>	Elegant Tern	x	x	x	x								0		NT	152,5
<i>Thalasseus</i>	<i>sandvicensis</i>	Sandwich Tern	x	x	x	x								0			152,6
<i>Sternula</i>	<i>antillarum</i>	Least Tern	x	x	x	x								0			152
<i>Sternula</i>	<i>superciliaris</i>	Yellow-billed Tern			x			x	x	x				200			152,1
<i>Sternula</i>	<i>lorata</i>	Peruvian Tern		x	x	x								0		EN	152,2
<i>Onychoprion</i>	<i>fuscatus</i>	Sooty Tern												0			154
<i>Sterna</i>	<i>hirundinacea</i>	South American Tern		x	x	x								0			154,2
<i>Sterna</i>	<i>hirundo</i>	Common Tern	x	x	x	x								0			154,4
<i>Sterna</i>	<i>paradisaea</i>	Arctic Tern	x	x	x	x								0			154,3
<i>Chlidonias</i>	<i>niger</i>	Black Tern	x	x	x	x								0			154,5
<i>Phaetusa</i>	<i>simplex</i>	Large-billed Tern						x	x	x				200			152,3
<i>Larosterna</i>	<i>inca</i>	Inca Tern		x	x	x								0		NT	148,4
<b>Stercorariidae</b>		<b>Skuas</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Stercorarius</i>	<i>chilensis</i>	Chilean Skua			x									0			146,5
<i>Stercorarius</i>	<i>maccormicki</i>	South Polar Skua			x									0			146,4
<i>Stercorarius</i>	<i>pomarinus</i>	Pomarine Skua			x									0			146,3
<i>Stercorarius</i>	<i>parasiticus</i>	Parasitic Jaeger		x	x									0			146,1

<i>Stercorarius</i>	<i>longicaudus</i>	Long-tailed Jaeger			x								0			146,2
<b>Columbidae</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Columba</i>	<i>livia</i>	Common Pigeon	x	x	x	x	x	x	x	x			4000			160
<i>Patagioenas</i>	<i>speciosa</i>	Scaled Pigeon	x					x	x	x			1500			156,4
<i>Patagioenas</i>	<i>fasciata</i>	Band-tailed Pigeon		x	x	x	x	x	x			1000	3600			156,3
<i>Patagioenas</i>	<i>cayennensis</i>	Pale-vented Pigeon				x	x	x	x	x			700			156,6
<i>Patagioenas</i>	<i>oenops</i>	Marañon Pigeon		x		x	x	x				200	2400	MV	VU	156,5
<i>Patagioenas</i>	<i>plumbea</i>	Plumbeous Pigeon	x	x	x	x	x	x	x	x			2300			156,1
<i>Patagioenas</i>	<i>subvinacea</i>	Ruddy Pigeon	x	x	x	x	x	x	x	x			1900			156,2
<i>Zenaida</i>	<i>auriculata</i>	Eared Dove	x	x	x	x	x	x					4000			158,3
<i>Zenaida</i>	<i>meloda</i>	West Peruvian Dove	x	x	x	x	x						1000			158,4
<i>Columbina</i>	<i>minuta</i>	Plain-breasted Ground Dove		x	x	x	x	x	x	x			2300			160,4
<i>Columbina</i>	<i>buckleyi</i>	Ecuadorian Ground Dove	x	x		x	x	x				200	1000	TR		160,2
<i>Columbina</i>	<i>talpacoti</i>	Ruddy Ground Dove							x	x			800			160,3
<i>Columbina</i>	<i>cruziana</i>	Croaking Ground Dove	x	x	x	x	x	x					2800			160,5
<i>Claravis</i>	<i>pretiosa</i>	Blue Ground Dove	x	x		x	x	x	x	x			1300			162,1
<i>Claravis</i>	<i>mondetoura</i>	Maroon-chested Ground Dove		x		x	x	x	x			1700	3000			162,2
<i>Metriopelia</i>	<i>ceciliae</i>	Bare-faced Ground Dove		x	x	x	x					500	1000			158,2
<i>Metriopelia</i>	<i>melanoptera</i>	Black-winged Ground Dove				x	x					2600	4500			158,6
<i>Leptotila</i>	<i>verreauxi</i>	White-tipped Dove	x	x	x	x	x	x	x	x			2700			162,4
<i>Leptotila</i>	<i>rufaxilla</i>	Grey-fronted Dove						x	x	x			1700			162,5
<i>Leptotila</i>	<i>pallida</i>	Pallid Dove	x										900			162,3
<i>Leptotila</i>	<i>ochraceiventris</i>	Ochre-bellied Dove	x	x	x								600	TR	VU	162,6
<i>Geotrygon</i>	<i>saphirina</i>	Sapphire Quail-Dove						x	x	x			1000			164,2
<i>Geotrygon</i>	<i>frenata</i>	White-throated Quail-Dove		x	x	x	x	x	x			1000	3300			164,3
<i>Geotrygon</i>	<i>montana</i>	Ruddy Quail-Dove		x		x	x	x	x	x			1750			164,1
<b>Psittacidae</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Ara</i>	<i>ararauna</i>	Blue-and-yellow Macaw							x	x			800			166,1
<i>Ara</i>	<i>militaris</i>	Military Macaw				x	x	x	x	x		600	1500		VU	166,4
<i>Ara</i>	<i>macao</i>	Scarlet Macaw							x	x			850			166,3
<i>Ara</i>	<i>chloropterus</i>	Red-and-green Macaw							x	x			1000			166,6
<i>Ara</i>	<i>severus</i>	Chestnut-fronted Macaw						x	x	x			1000			166,5
<i>Orthopsittaca</i>	<i>manilata</i>	Red-bellied Macaw							x	x			650			166,2
<i>Primolius</i>	<i>couloni</i>	Blue-headed Macaw							x	x			1500		VU	166,7
<i>Aratinga</i>	<i>wagleri</i>	Scarlet-fronted Parakeet		x	x	x	x	x	x				3000			168,5
<i>Aratinga</i>	<i>mitrata</i>	Mitred Parakeet						x	x			1600	3400			168,3
<i>Aratinga</i>	<i>hockingi</i>	Hocking's Parakeet						x				1300	2300			0

<i>Aratinga</i>	<i>erythrogenys</i>	Red-masked Parakeet	x	x	x	x	x					1700	TR	NT	168,4
<i>Aratinga</i>	<i>leucophthalma</i>	White-eyed Parakeet						x	x	x		1700			168,2
<i>Aratinga</i>	<i>weddellii</i>	Dusky-headed Parakeet						x	x	x		700			168,6
<i>Leptosittaca</i>	<i>branickii</i>	Golden-plumed Parakeet		x		x	x	x	x		2700	3350		VU	178,5
<i>Pyrrhura</i>	<i>picta (s)sp nov?</i>	Yurimaguas Painted Parakeet							x	x		500			170,3
<i>Pyrrhura</i>	<i>roseifrons</i>	Rose-fronted Parakeet							x	x		1500			170,2
<i>Pyrrhura</i>	<i>melanura</i>	Maroon-tailed Parakeet							x	x		1350			170,4
	<i>m. berlepshi</i>	Huallaga Parakeet								x		1500			[170.4]
<i>Pyrrhura</i>	<i>rupicola</i>	Black-capped Parakeet								x		2000			170,6
<i>Pyrrhura</i>	<i>albipectus</i>	White-breasted Parakeet					x				900	1800	EPEA	VU	170,5
<i>Psilopsiagon</i>	<i>aurifrons</i>	Mountain Parakeet		x		x	x				1000	3000			172,6
<i>Bolborhynchus</i>	<i>lineola</i>	Barred Parakeet		x		x	x	x	x		900	3300			172,4
<i>Bolborhynchus</i>	<i>orbygnesi</i>	Andean Parakeet				x	x				2400	3900			172,5
<i>Forpus</i>	<i>xanthopterygius</i>	Blue-winged Parrotlet						x	x	x		1050			174,5
<i>Forpus</i>	<i>modestus</i>	Dusky-billed Parrotlet						x	x	x		600			174,6
<i>Forpus</i>	<i>coelestis</i>	Pacific Parrotlet	x	x	x	x	x	x			2100		TR		172,2
<i>Forpus</i>	<i>xanthops</i>	Yellow-faced Parrotlet				x	x	x			600	2000	MV	VU	172,3
<i>Brotogeris</i>	<i>versicolurus</i>	White-winged Parakeet							x	x		2100			174,1
<i>Brotogeris</i>	<i>pyrrhoptera</i>	Grey-cheeked Parakeet	x	x							900		TR	EN	172,1
<i>Brotogeris</i>	<i>cyanoptera</i>	Cobalt-winged Parakeet						x	x	x		1350			174,2
	<i>c. gustavi</i>									x		1350			[174.2]
<i>Brotogeris</i>	<i>sanctithomae</i>	Tui Parakeet								x		300			174,3
<i>Nannopsittaca</i>	<i>dachilleae</i>	Amazonian Parrotlet								x		1000		NT	174,4
<i>Touit</i>	<i>huetii</i>	Scarlet-shouldered Parrotlet						x	x	x		1300			176,4
<i>Touit</i>	<i>purpuratus</i>	Sapphire-rumped Parrotlet								x		400			176,5
<i>Touit</i>	<i>stictopterus</i>	Spot-winged Parrotlet					x	x	x	x	1100	2200		VU	176,3
<i>Pionites</i>	<i>melanocephalus</i>	Black-headed Parrot							x	x		600			176,1
<i>Pionites</i>	<i>leucogaster</i>	White-bellied Parrot								x		800			176,2
<i>Pyriia</i>	<i>barrabandi</i>	Orange-cheeked Parrot						x	x	x		500			176,6
<i>Hapalopsittaca</i>	<i>pyrrhops</i>	Red-faced Parrot		x			x				2550	3000		VU	178,7
<i>Graydidascalus</i>	<i>brachyurus</i>	Short-tailed Parrot								x		400			180,1
<i>Pionus</i>	<i>menstruus</i>	Blue-headed Parrot						x	x	x		2000			178,1
<i>Pionus</i>	<i>sordidus</i>	Red-billed Parrot		x		x	x	x	x		1200	2500			178,4
<i>Pionus</i>	<i>tumultuosus</i>	Speckle-faced Parrot		x		x	x	x	x		1400	3300			178,2
<i>Pionus</i>	<i>chalcopterus</i>	Bronze-winged Parrot	x	x								800			178,3
<i>Amazona</i>	<i>festiva</i>	Festive Amazon							x	x		500			180,2
<i>Amazona</i>	<i>ochrocephala</i>	Yellow-crowned Amazon						x	x	x		800			180,3

<i>Amazona</i>	<i>amazonica</i>	Orange-winged Amazon							x	x	x			500			180,4
<i>Amazona</i>	<i>mercenaria</i>	Scaly-naped Amazon		x	x	x	x	x	x				1100	3400			180,5
<i>Amazona</i>	<i>farinosa</i>	Mealy Amazon							x	x	x			1200			180,6
<i>Derophtyus</i>	<i>accipitrinus</i>	Red-fan Parrot									x			300			164,4
<b>Opisthocomidae</b>		<b>Hoatzins</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Opisthocomus</i>	<i>hoazin</i>	Hoatzin							x	x	x			200			186,1
<b>Cuculidae</b>		<b>Cuckoos</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Crotophaga</i>	<i>major</i>	Greater Ani							x	x	x			500			184,4
<i>Crotophaga</i>	<i>ani</i>	Smooth-billed Ani						x	x	x	x			2100			184,5
<i>Crotophaga</i>	<i>sulcirostris</i>	Groove-billed Ani	x	x	x	x	x							2750			184,6
<i>Tapera</i>	<i>naevia</i>	Striped Cuckoo	x	x	x	x	x	x	x	x				2450			182,6
<i>Dromococcyx</i>	<i>phasianellus</i>	Pheasant Cuckoo								x	x			1000			186,3
<i>Dromococcyx</i>	<i>pavoninus</i>	Pavonine Cuckoo								x	x			900			186,2
<i>Neomorphus</i>	<i>geoffroyi</i>	Rufous-vented Ground Cuckoo									x			1600			186,5
<i>Neomorphus</i>	<i>pucheranii</i>	Red-billed Ground Cuckoo									x			300			186,4
<i>Coccyzua</i>	<i>minuta</i>	Little Cuckoo							x	x	x			1050			184,3
<i>Piaya</i>	<i>cayana</i>	Squirrel Cuckoo	x	x	x	x	x	x	x	x				2800			184,2
<i>Piaya</i>	<i>melanogaster</i>	Black-bellied Cuckoo							x	x	x			900			184,1
<i>Coccyzus</i>	<i>melacoryphus</i>	Dark-billed Cuckoo		x	x	x	x	x	x	x				3600			182,5
<i>Coccyzus</i>	<i>americanus</i>	Yellow-billed Cuckoo								x	x			1200			182,3
<i>Coccyzus</i>	<i>erythrophthalmus</i>	Black-billed Cuckoo	x	x	x		x	x	x	x				2400			182,2
<i>Coccyzus</i>	<i>lansbergi</i>	Grey-capped Cuckoo	x	x	x									800			182,4
<b>Tytonidae</b>		<b>Barn Owls</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Tyto</i>	<i>alba</i>	Western Barn Owl	x	x	x	x	x	x						4300			194,5
<b>Strigidae</b>		<b>Owls</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Megascops</i>	<i>choliba</i>	Tropical Screech Owl							x	x	x			2400			190,2
<i>Megascops</i>	<i>roboratus</i>	West Peruvian Screech Owl	x	x	x	x	x	x						900			188,2
<i>Megascops</i>	<i>koepckeae</i>	Koepcke's Screech Owl			x	x	x	x	x				2200	4000			188,1
<i>Megascops</i>	<i>guatemalae</i>	Vermiculated Screech-Owl							x	x	x			600	1700		190,4
<i>Megascops</i>	<i>ingens</i>	Rufescent Screech Owl		x		x	x	x	x					1000	2200		190,6
<i>Megascops</i>	<i>petersoni</i>	Cinnamon Screech Owl						x	x	x				1700	2450	EPEA	190,3
<i>Megascops</i>	<i>watsonii</i>	Tawny-bellied Screech Owl							x	x	x			700			190,1
<i>Megascops</i>	<i>albugularis</i>	White-throated Screech Owl		x	x	x	x	x	x					2500	3700		188,3
<i>Bubo</i>	<i>virginianus</i>	Great Horned Owl		x	x	x	x	x	x					2600	4400		194,1
<i>Ketupa</i>	<i>virgata</i>	Mottled Owl							x	x	x			1000			192,7
<i>Ketupa</i>	<i>albitarsis</i>	Rufous-banded Owl		x		x	x	x	x					1900	3500		192,6
<i>Ketupa</i>	<i>nigrolineata</i>	Black-and-white Owl	x	x										800			192,4

<i>Ketupa</i>	<i>huhula</i>	Black-banded Owl						x	x	x		1800				192,5
<i>Lophostrix</i>	<i>cristata</i>	Crested Owl						x	x	x		700				192,1
<i>Pulsatrix</i>	<i>perspicillata</i>	Spectacled Owl						x	x	x		1150				192,2
<i>Pulsatrix</i>	<i>melanota</i>	Band-bellied Owl				x	x	x	x			650	2200			192,3
<i>Glaucidium</i>	<i>jardinii</i>	Andean Pygmy Owl		x				x	x			1500	3600			196,3
<i>Glaucidium</i>	<i>bolivianum</i>	Yungas Pygmy Owl		x		x			x	x		1700	2900			0
<i>Glaucidium</i>	<i>parkeri</i>	Subtropical Pygmy Owl		x				x	x	x	x	950	1600			196,1
<i>Glaucidium</i>	<i>hardyi</i>	Amazonian Pygmy Owl								x	x		1150			196,2
<i>Glaucidium</i>	<i>brasilianum</i>	Ferruginous Pygmy Owl							x	x	x		2000			196,5
<i>Glaucidium</i>	<i>peruanum</i>	Pacific Pygmy Owl	x	x	x	x	x						3300			196,4
<i>Xenoglaux</i>	<i>loweryi</i>	Long-whiskered Owlet								x		1900	2400	ARTF	EN	188,4
<i>Athene</i>	<i>cunicularia</i>	Burrowing Owl	x	x	x	x	x						4600			188,6
<i>Heteroglaux</i>	<i>harrisii</i>	Buff-fronted Owl		x	x		x	x	x	x		1500	2900			188,5
<i>Pseudoscops</i>	<i>clamator</i>	Striped Owl	x	x	x					x	x		1700			194,2
<i>Asio</i>	<i>stygius</i>	Stygian Owl		x	x		x					2200	2900			194,4
<i>Asio</i>	<i>flammeus</i>	Short-eared Owl			x	x							500			194,3
<b>Steatornithidae</b>		<b>Oilbirds</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Steatornis</i>	<i>caripensis</i>	Oilbird			x		x	x	x	x		500	2200			198,7
<b>Nyctibiidae</b>		<b>Potoos</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Nyctibius</i>	<i>grandis</i>	Great Potoo						x	x	x			1000			198,4
<i>Nyctibius</i>	<i>aethereus</i>	Long-tailed Potoo						x	x	x			1500			198,3
<i>Nyctibius</i>	<i>griseus</i>	Common Potoo	x	x	x	x	x	x	x	x			2200			198,1
<i>Nyctibius</i>	<i>maculosus</i>	Andean Potoo		x		x	x	x	x			1400	2600			198,2
<i>Nyctibius</i>	<i>leucopterus</i>	White-winged Potoo								x			500			198,5
<i>Nyctibius</i>	<i>bracteatus</i>	Rufous Potoo						x		x			500			198,6
<b>Caprimulgidae</b>		<b>Nightjars</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Lurocalis</i>	<i>semitorquatus</i>	Short-tailed Nighthawk							x	x			1800			200,2
<i>Lurocalis</i>	<i>rufiventris</i>	Rufous-bellied Nighthawk		x	x	x	x	x	x			1500	3450			200,1
<i>Chordeiles</i>	<i>rupestris</i>	Sand-colored Nighthawk							x	x			600			200,3
<i>Chordeiles</i>	<i>acutipennis</i>	Lesser Nighthawk	x	x	x	x	x	x					950			200,7
<i>Chordeiles</i>	<i>minor</i>	Common Nighthawk		x	x				x	x			500			200,4
<i>Nyctiprogne</i>	<i>leucopyga</i>	Band-tailed Nighthawk								x			300			200,6
<i>Podager</i>	<i>nacunda</i>	Nacunda Nighthawk								x			300			200,5
<i>Nyctidromus</i>	<i>albicollis</i>	Pauraque	x	x	x	x	x	x	x	x			2400			202,2
<i>Nyctiphrynus</i>	<i>ocellatus</i>	Ocellated Poorwill							x	x			1300			202,4
<i>Caprimulgus</i>	<i>rufus</i>	Rufous Nightjar				x	x	x	x			300	1650			204,3
<i>Caprimulgus</i>	<i>sericocaudatus</i>	Silky-tailed Nightjar							x	x			1900			204,4

<i>Caprimulgus</i>	<i>longirostris</i>	Band-winged Nightjar	x	x	x	x	x	x	x			4400			204,2
<i>Caprimulgus</i>	<i>maculicaudus</i>	Spot-tailed Nightjar							x	x		1350			204,6
<i>Caprimulgus</i>	<i>parvulus</i>	Little Nightjar							x	x		1000			204,5
<i>Caprimulgus</i>	<i>anthonyi</i>	Anthony's Nightjar	x	x	x		x	x				800	MV, TR		204,7
<i>Caprimulgus</i>	<i>nigrescens</i>	Blackish Nightjar						x	x	x	600	1350			204,1
<i>Hydropsalis</i>	<i>climacocerca</i>	Ladder-tailed Nightjar				x		x	x	x		2600			202,3
<i>Hydropsalis</i>	<i>torquata</i>	Scissor-tailed Nightjar							x	x		1700			202,6
<i>Uropsalis</i>	<i>segmentata</i>	Swallow-tailed Nightjar		x	x	x	x	x	x		2000	3600			202,5
<i>Uropsalis</i>	<i>lyra</i>	Lyre-tailed Nightjar		x	x	x	x	x	x		1300	2100			202,1
<b>Apodidae</b>		<b>Swifts</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Cypseloides</i>	<i>cryptus</i>	White-chinned Swift					x			x		2000			206,1
<i>Cypseloides</i>	<i>lemosi</i>	White-chested Swift						x	x	x	350	1600			206
<i>Streptoprocne</i>	<i>rutila</i>	Chestnut-collared Swift		x	x	x	x	x	x			3000			208,1
<i>Streptoprocne</i>	<i>zonaris</i>	White-collared Swift	x	x	x	x	x	x	x	x		4300			206,2
<i>Chaetura</i>	<i>egregia</i>	Pale-rumped Swift						x	x	x		1100			208,2
<i>Chaetura</i>	<i>cinereiventris</i>	Grey-rumped Swift	x					x	x	x		1500			208,3
<i>Chaetura</i>	<i>pelagica</i>	Chimney Swift	x	x	x	x		x		x		500		NT	208,5
<i>Chaetura</i>	<i>viridipennis</i>	Amazonian Swift						x		x		500			208,6
<i>Chaetura</i>	<i>brachyura</i>	Short-tailed Swift						x	x	x		1100			208,4
<i>Chaetura</i>	<i>ocypetes</i>	Tumbes Swift	x	x								1900			[208.4]
<i>Aeronautes</i>	<i>montivagus</i>	White-tipped Swift	x	x	x	x	x	x	x		750	3000			206,4
<i>Aeronautes</i>	<i>andecolus</i>	Andean Swift		x		x	x				2000	4500			206,3
<i>Tachornis</i>	<i>squamata</i>	Neotropical Palm Swift						x	x	x		800			210,2
<i>Panyptila</i>	<i>cayennensis</i>	Lesser Swallow-tailed Swift	x	x	x			x	x	x		800			210,1
<b>Trochilidae</b>		<b>Hummingbirds</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Eutoxeres</i>	<i>aquila</i>	White-tipped Sicklebill		x			x	x	x	x	750	2000			212,1
<i>Eutoxeres</i>	<i>condamini</i>	Buff-tailed Sicklebill				x	x	x	x	x		2800			212,2
<i>Glaucis</i>	<i>hirsutus</i>	Rufous-breasted Hermit						x	x	x		1000			212,3
<i>Threnetes</i>	<i>leucurus</i>	Pale-tailed Barbthroat						x	x	x		1800			212,4
<i>Phaethornis</i>	<i>guy</i>	Green Hermit		x		x	x	x	x		500	1800			212,7
<i>Phaethornis</i>	<i>hispidus</i>	White-bearded Hermit						x	x	x		1400			216,1
<i>Phaethornis</i>	<i>longirostris</i>	Long-billed Hermit	x	x								1700			212,6
	<i>l. baroni</i>	Baron's Hermit	x	x								1700			[212.6]
<i>Phaethornis</i>	<i>superciliosus</i>	Long-tailed Hermit					x	x	x	x	-	-			216,2
<i>Phaethornis</i>	<i>syrmatorphorus</i>	Tawny-bellied Hermit		x	x	x	x	x	x		1200	2200			216,3
<i>Phaethornis</i>	<i>koepckeae</i>	Koepcke's Hermit						x	x		450	1300		NT	216,5
<i>Phaethornis</i>	<i>philippii</i>	Needle-billed Hermit								x		500			216,6

<i>Phaethornis</i>	<i>bourcieri</i>	Straight-billed Hermit							x	x	x		200				216,4
<i>Phaethornis</i>	<i>pretrei</i>	Planalto Hermit								x			200	600			212,5
<i>Phaethornis</i>	<i>ruber</i>	Reddish Hermit							x	x	x		1100				214,2
<i>Phaethornis</i>	<i>atrimentalis</i>	Black-throated Hermit						x	x	x	x		1100				214,3
<i>Phaethornis</i>	<i>griseogularis</i>	Grey-chinned Hermit						x	x	x			650	2200			214,4
	<i>g. porcellae</i>	Porculla Hermit	x	x	x			x					400	1600			[214.4]
	<i>g. zonura</i>	Grey-chinned Hermit						x					650	2200			[214.4]
<i>Doryfera</i>	<i>ludovicae</i>	Green-fronted Lancebill		x	x	x		x	x	x			1000	2500			230,2
<i>Doryfera</i>	<i>johannae</i>	Blue-fronted Lancebill							x	x			500	1400			230,1
<i>Campylopterus</i>	<i>largipennis</i>	Grey-breasted Sabrewing							x	x	x		1300				218,2
<i>Campylopterus</i>	<i>villaviscensio</i>	Napo Sabrewing							x	x			1050	1400	EPEA	NT	218,1
<i>Florisuga</i>	<i>mellivora</i>	White-necked Jacobin							x	x	x		1200				218,5
<i>Colibri</i>	<i>delphinae</i>	Brown Violetear				x	x	x	x				700	1700			222,4
<i>Colibri</i>	<i>thalassinus</i>	Green Violetear		x	x	x	x	x	x				1000	3300			222,6
<i>Colibri</i>	<i>coruscans</i>	Sparkling Violetear		x	x	x	x	x	x				400	4500			222,5
<i>Anthracothorax</i>	<i>prevostii</i>	Green-breasted Mango	x										800				218,6
<i>Anthracothorax</i>	<i>nigricollis</i>	Black-throated Mango								x	x		800				218,7
<i>Topaza</i>	<i>pyra</i>	Fiery Topaz											500				222,2
<i>Klais</i>	<i>guimeti</i>	Violet-headed Hummingbird						x	x	x	x		500	1550			224,4
<i>Lophornis</i>	<i>delattrei</i>	Rufous-crested Coquette							x	x			500	1400			224,6
<i>Lophornis</i>	<i>stictolophus</i>	Spangled Coquette								x			500				224,5
<i>Lophornis</i>	<i>chalybeus</i>	Festive Coquette								x	x		1000				224,3
<i>Discosura</i>	<i>popelairii</i>	Wire-crested Thorntail				x	x	x	x				500	1500			224,2
<i>Discosura</i>	<i>langsdorffi</i>	Black-bellied Thorntail							x	x	x		800				224,1
<i>Chlorestes</i>	<i>notata</i>	Blue-chinned Sapphire								x	x		800				226,3
<i>Chlorostilbon</i>	<i>mellisugus</i>	Blue-tailed Emerald								x	x		2000				220,4
<i>Thalurania</i>	<i>fannyi</i>	Green-crowned Woodnymph	x										950				220,1
<i>Thalurania</i>	<i>furcata</i>	Fork-tailed Woodnymph						x	x	x	x		1400				220,2
<i>Damophila</i>	<i>julie</i>	Violet-bellied Hummingbird	x										750				220,3
<i>Hylocharis</i>	<i>sapphirina</i>	Rufous-throated Sapphire								x	x		300				226,5
<i>Hylocharis</i>	<i>cyanus</i>	White-chinned Sapphire								x	x		600				226,6
<i>Chrysuronia</i>	<i>oenone</i>	Golden-tailed Sapphire		x			x	x	x	x			1700				226,4
<i>Polytmus</i>	<i>theresiaae</i>	Green-tailed Goldenthrout											500				222,1
<i>Leucippus</i>	<i>baeri</i>	Tumbes Hummingbird	x	x	x		x						800		TR		228,6
<i>Leucippus</i>	<i>taczanowskii</i>	Spot-throated Hummingbird		x	x	x	x	x					350	2800	MV, PHA		228,4
<i>Leucippus</i>	<i>chlorocercus</i>	Olive-spotted Hummingbird								x	x		450		UANL		228,5
<i>Taphrospilus</i>	<i>hypostictus</i>	Many-spotted Hummingbird					x	x	x				750	1500			232,1



<i>Amazilia</i>	<i>tzacatl</i>	Rufous-tailed Hummingbird	x									1500				307,1	
<i>Amazilia</i>	<i>chionogaster</i>	White-bellied Hummingbird				x		x	x			1200	3500				228,2
<i>Amazilia</i>	<i>amazilia</i>	Amazilia Hummingbird	x	x	x	x	x						2400				250,2
<i>Amazilia</i>	<i>franciae</i>	Andean Emerald		x	x	x	x	x				400	2750				228,3
<i>Amazilia</i>	<i>fimbriata</i>	Glittering-throated Emerald							x	x			300				226,1
<i>Amazilia</i>	<i>lactea</i>	Sapphire-spangled Emerald							x	x			1400				226,2
<i>Chalybura</i>	<i>buffonii</i>	White-vented Plumeleteer	x										800				220,5
<i>Adelomyia</i>	<i>melanogenys</i>	Speckled Hummingbird		x	x	x	x	x	x			1000	2900				230,7
<i>Phlogophilus</i>	<i>hemileucurus</i>	Ecuadorian Piedtail						x	x			800	1200	EPEA	NT		230,5
<i>Heliodoxa</i>	<i>gularis</i>	Pink-throated Brilliant						x	x	x		400	1050	EPEA	NT		232,5
<i>Heliodoxa</i>	<i>branickii</i>	Rufous-webbed Brilliant							x	x		650	1700	PEAF			232,6
<i>Heliodoxa</i>	<i>schreibersii</i>	Black-throated Brilliant					x	x	x	x		600	1250				232,3
<i>Heliodoxa</i>	<i>aurescens</i>	Gould's Jewelfront						x	x	x			1400				220,6
<i>Heliodoxa</i>	<i>rubinoides</i>	Fawn-breasted Brilliant		x			x	x	x			1500	2500				232,4
<i>Heliodoxa</i>	<i>leadbeateri</i>	Violet-fronted Brilliant		x			x	x	x			900	2300				232,2
<i>Urochroa</i>	<i>bougueri</i>	White-tailed Hillstar						x	x			800	1500				218,3
<i>Boissonneaua</i>	<i>matthewsii</i>	Chestnut-breasted Coronet		x	x	x	x	x	x			1500	3300				236,1
<i>Aglaeactis</i>	<i>cupripennis</i>	Shining Sunbeam		x	x	x	x	x				2200	4600				234,2
<i>Aglaeactis</i>	<i>aliciae</i>	Purple-backed Sunbeam				x	x					3000	3400	MV	EN		234,3
<i>Oreotrochilus</i>	<i>estella</i>	Andean Hillstar		x	x	x	x	x	x			3400	4600				234,4
	<i>e. stolzmani</i>	Green-headed Hillstar		x	x	x	x	x				3400	4600				[234.4]
<i>Lafresnaya</i>	<i>lafresnayi</i>	Mountain Velvetbreast		x	x	x	x	x	x			1800	3200				238,1
<i>Coeligena</i>	<i>coeligena</i>	Bronzy Inca		x	x	x	x	x	x			1000	2200				236,2
<i>Coeligena</i>	<i>torquata</i>	Collared Inca		x	x	x	x	x	x			1800	3000				236,4
<i>Coeligena</i>	<i>lutetiae</i>	Buff-winged Starfrontlet		x			x					2600	2950				236,5
<i>Coeligena</i>	<i>violifer</i>	Violet-throated Starfrontlet				x	x	x	x			2500	3900				236,6
<i>Coeligena</i>	<i>iris</i>	Rainbow Starfrontlet		x	x	x	x	x	x			1500	3300				236,3
<i>Ensifera</i>	<i>ensifera</i>	Sword-billed Hummingbird		x	x	x	x	x	x			2400	3600				210,3
<i>Pterophanes</i>	<i>cyanopterus</i>	Great Sapphirewing		x	x	x	x	x	x			2600	3700				210,5
<i>Patagona</i>	<i>gigas</i>	Giant Hummingbird		x		x	x	x				2000	4300				210,4
<i>Helianthus</i>	<i>micraster</i>	Little Sunangel		x			x					2200	3000				238,3
<i>Helianthus</i>	<i>amethysticollis</i>	Amethyst-throated Sunangel		x		x	x	x	x			1950	2500				238,4
<i>Helianthus</i>	<i>viola</i>	Purple-throated Sunangel		x	x		x	x				1800	3200				238,6
<i>Helianthus</i>	<i>regalis</i>	Royal Sunangel					x	x	x			1350	2200	ARTF	EN		238,5
<i>Eriocnemis</i>	<i>vestita</i>	Glowing Puffleg		x			x					2450	3200				240,1
<i>Eriocnemis</i>	<i>luciani</i>	Sapphire-vented Puffleg				x		x	x			2400	3500				240,2
<i>Eriocnemis</i>	<i>alinae</i>	Emerald-bellied Puffleg				x		x	x			1650	2400				240,3

<i>Haplophaedia</i>	<i>aureliae</i>	Greenish Puffleg				x	x	x	x		1500	2450			240,4
<i>Urosticte</i>	<i>ruficrissa</i>	Rufous-vented Whitetip					x	x	x		1350	2200	EPEA		240,5
<i>Ocreatus</i>	<i>underwoodii</i>	Booted Racket-tail		x		x	x	x	x		1000	2400			240,6
<i>Lesbia</i>	<i>victoriae</i>	Black-tailed Trainbearer		x	x	x	x	x			2700	4100			242,1
<i>Lesbia</i>	<i>nuna</i>	Green-tailed Trainbearer		x	x	x	x	x			1700	3800			242,2
<i>Polyonimus</i>	<i>caroli</i>	Bronze-tailed Comet				x	x				2100	3400			242,5
<i>Ramphomicron</i>	<i>microrhynchum</i>	Purple-backed Thornbill				x	x				2500	3600			246,1
<i>Metallura</i>	<i>tyrianthina</i>	Tyrian Metaltail		x	x	x	x	x	x		2400	4200			246,2
<i>Metallura</i>	<i>odomae</i>	Neblina Metaltail		x			x				2600	3000	CAP	NT	244,1
<i>Metallura</i>	<i>theresiaae</i>	Coppery Metaltail						x	x		2800	3550	NEPC		244,2
<i>Metallura</i>	<i>phoebe</i>	Black Metaltail				x	x	x			2700	4300			244,6
<i>Chalcostigma</i>	<i>ruficeps</i>	Rufous-capped Thornbill		x			x	x	x		1800	2800			246,4
<i>Chalcostigma</i>	<i>stanleyi</i>	Blue-mantled Thornbill				x		x	x		2800	4500			246,6
<i>Chalcostigma</i>	<i>herrani</i>	Rainbow-bearded Thornbill		x			x				2450	3100			246,3
<i>Opisthoprora</i>	<i>euryptera</i>	Mountain Avocetbill						x	x		2700	3200			244,5
<i>Taphrolesbia</i>	<i>griseiventris</i>	Grey-bellied Comet				x	x				2750	3200	MV, PHA	EN	242,4
<i>Agelaiocercus</i>	<i>kingii</i>	Long-tailed Sylph		x		x	x	x	x		1200	2500			238,2
<i>Schistes</i>	<i>geoffroyi</i>	Wedge-billed Hummingbird		x	x	x	x	x	x		800	1200			230,4
<i>Heliothryx</i>	<i>auritus</i>	Black-eared Fairy						x	x	x		1300			248,1
<i>Loddigesia</i>	<i>mirabilis</i>	Marvelous Spatuletail						x			2000	2900	NEPC	EN	230,3
<i>Heliomaster</i>	<i>longirostris</i>	Long-billed Starthroat	x	x	x		x	x	x	x		1000			248,2
<i>Rhodopis</i>	<i>vesper</i>	Oasis Hummingbird		x	x	x	x					3800			250,1
<i>Thaumastura</i>	<i>cora</i>	Peruvian Sheartail		x	x	x	x					2800			250,5
<i>Calliphlox</i>	<i>amethystina</i>	Amethyst Woodstar						x	x	x		1250			248,5
<i>Myrtis</i>	<i>fanny</i>	Purple-collared Woodstar		x	x	x	x	x			0	3200			250,4
<i>Myrmia</i>	<i>micrura</i>	Short-tailed Woodstar	x	x	x	x	x					1200	TR		250,3
<i>Chaetocercus</i>	<i>mulsant</i>	White-bellied Woodstar		x	x	x	x	x	x		800	3100			248,3
<i>Chaetocercus</i>	<i>bombus</i>	Little Woodstar		x	x	x	x	x	x		600	2700		VU	248,4
<b>Trogonidae</b>		<b>Trogons</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Pharomachus</i>	<i>pavoninus</i>	Pavonine Quetzal						x	x	x		1100			254,6
<i>Pharomachus</i>	<i>auriceps</i>	Golden-headed Quetzal		x		x	x	x	x		1200	3000			254,7
<i>Pharomachus</i>	<i>antisianus</i>	Crested Quetzal		x		x	x	x	x		1000	2300			254,5
<i>Trogon</i>	<i>mesurus</i>	Ecuadorian Trogon	x	x	x						400	1250			252,3
<i>Trogon</i>	<i>melanurus</i>	Black-tailed Trogon							x	x		1000			252,3
<i>Trogon</i>	<i>viridis</i>	Green-backed Trogon						x	x	x		1350			252,4
<i>Trogon</i>	<i>violaceus</i>	Violaceous Trogon	x					x	x	x		800			252,7
<i>Trogon</i>	<i>curucui</i>	Blue-crowned Trogon						x	x	x		1500			252,5

<i>Trogon</i>	<i>rufus</i>	Black-throated Trogon						x	x	x		650			252,6
<i>Trogon</i>	<i>collaris</i>	Collared Trogon					x	x	x	x		1700			252,2
<i>Trogon</i>	<i>personatus</i>	Masked Trogon		x	x	x	x	x	x			1100	3300		252,1
<b>Alcedinidae Kingfishers</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Chloroceryle</i>	<i>aenea</i>	American Pygmy Kingfisher								x		700			256,4
<i>Chloroceryle</i>	<i>inda</i>	Green-and-rufous Kingfisher							x	x		750			256,5
<i>Chloroceryle</i>	<i>americana</i>	Green Kingfisher	x	x	x	x	x	x	x	x		2400			256,3
<i>Chloroceryle</i>	<i>amazona</i>	Amazon Kingfisher					x	x	x	x		1300			256,1
<i>Megaceryle</i>	<i>torquata</i>	Ringed Kingfisher	x	x	x		x	x	x	x		1000			256,2
<b>Momotidae Motmots</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Momotus</i>	<i>momota</i>	Blue-crowned Motmot	x	x	x							900			254,1
<i>Momotus</i>	<i>momota</i>	Amazonian Motmot (potential split)						x	x	x		750			254,1
<i>Momotus</i>	<i>aequatorialis</i>	Highland Motmot		x	x	x	x	x	x		1000	2400			254,2
<i>Baryphthengus</i>	<i>martii</i>	Rufous Motmot						x	x	x		1600			254,4
<i>Electron</i>	<i>platyrhynchum</i>	Broad-billed Motmot						x	x	x		1200			254,3
<b>Galbulidae Jacamars</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Galbalcyrrhynchus</i>	<i>leucotis</i>	White-eared Jacamar								x		500			258,5
<i>Brachygalba</i>	<i>lugubris</i>	Brown Jacamar							x	x		500			258,3
<i>Brachygalba</i>	<i>albogularis</i>	White-throated Jacamar								x		600			258,4
<i>Galbula</i>	<i>albirostris</i>	Yellow-billed Jacamar						x	x	x		800			260,3
<i>Galbula</i>	<i>cyanicollis</i>	Blue-necked Jacamar								x		900			260,2
<i>Galbula</i>	<i>pastazae</i>	Coppery-chested Jacamar						x		x	750	1500	EPEA	VU	260,4
<i>Galbula</i>	<i>tombacea</i>	White-chinned Jacamar								x		1200			260,5
<i>Galbula</i>	<i>cyanescens</i>	Bluish-fronted Jacamar							x	x		1400			260,6
<i>Galbula</i>	<i>chalcothorax</i>	Purplish Jacamar						x	x	x		800			260,1
<i>Galbula</i>	<i>dea</i>	Paradise Jacamar							x	x		500			258,1
<i>Jacamerops</i>	<i>aureus</i>	Great Jacamar							x	x	x	1200			258,2
<b>Bucconidae Puffbirds</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Notharchus</i>	<i>hyperrhynchus</i>	White-necked Puffbird						x	x	x		700			262,2
<i>Notharchus</i>	<i>ordii</i>	Brown-banded Puffbird								x		300			262,3
<i>Notharchus</i>	<i>tectus</i>	Pied Puffbird						x	x	x		1000			262,1
<i>Bucco</i>	<i>macrodactylus</i>	Chestnut-capped Puffbird						x	x	x		1000			262,5
<i>Bucco</i>	<i>tamatia</i>	Spotted Puffbird								x		1400			262,6
<i>Bucco</i>	<i>capensis</i>	Collared Puffbird						x	x	x		1700			262,4
<i>Nystalus</i>	<i>radiatus</i>	Barred Puffbird	x									700	900		306,2
<i>Nystalus</i>	<i>chacuru</i>	White-eared Puffbird							x			1000	2200		266,1
<i>Nystalus</i>	<i>striolatus</i>	Striolated Puffbird					x	x	x	x		1200			264,1

<i>Malacoptila</i>	<i>fusca</i>	White-chested Puffbird						x	x	x		1500			264,5	
<i>Malacoptila</i>	<i>semicincta</i>	Semicollared Puffbird									x	1250			264,6	
<i>Malacoptila</i>	<i>fulvogularis</i>	Black-streaked Puffbird		x			x	x	x			900	1900		264,3	
<i>Malacoptila</i>	<i>panamensis</i>	White-whiskered Puffbird	x									700	900		306,3	
<i>Malacoptila</i>	<i>rufa</i>	Rufous-necked Puffbird								x		900			264,2	
<i>Micromonacha</i>	<i>lanceolata</i>	Lanceolated Monklet					x	x	x	x		500	1500		264,4	
<i>Nonnula</i>	<i>rubecula</i>	Rusty-breasted Nunlet								x		1000			268,2	
<i>Nonnula</i>	<i>brunnea</i>	Brown Nunlet						x		x		500		UANL	268,1	
<i>Nonnula</i>	<i>ruficapilla</i>	Rufous-capped Nunlet							x	x		1250			268,3	
<i>Hapaloptila</i>	<i>castanea</i>	White-faced Nunbird		x		x	x	x	x			1800	2600		266,3	
<i>Monasa</i>	<i>nigrifrons</i>	Black-fronted Nunbird						x	x	x		750			266,4	
<i>Monasa</i>	<i>morphoeus</i>	White-fronted Nunbird						x	x	x		1000			266,6	
<i>Monasa</i>	<i>flavirostris</i>	Yellow-billed Nunbird						x	x	x		1250			266,5	
<i>Chelidoptera</i>	<i>tenebrosa</i>	Swallow-winged Puffbird						x	x	x		800			266,2	
<b>Ramphastidae</b>		<b>Barbets &amp; Toucans</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Capito</i>	<i>aurovirens</i>	Scarlet-crowned Barbet								x		500			268,5	
<i>Capito</i>	<i>wallacei</i>	Scarlet-banded Barbet								x		1300	1550	VU	268,6	
<i>Capito</i>	<i>auratus</i>	Gilded Barbet					x	x	x	x		1350			270,1	
<i>Eubucco</i>	<i>richardsoni</i>	Lemon-throated Barbet						x	x	x		1000			270,4	
<i>Eubucco</i>	<i>bourcierii</i>	Red-headed Barbet		x			x	x				1200	1900		270,5	
<i>Eubucco</i>	<i>versicolor</i>	Versicolored Barbet				x		x	x			750	2100		270,2	
<i>Aulacorhynchus</i>	<i>prasinus</i>	Emerald Toucanet		x	x	x	x	x	x			1200	2500		274,1	
<i>Aulacorhynchus</i>	<i>derbianus</i>	Chestnut-tipped Toucanet					x	x	x			800	2100		274,4	
<i>Aulacorhynchus</i>	<i>huallagae</i>	Yellow-browed Toucanet				x			x			2000	2600	NEPC	EN	274,2
<i>Pteroglossus</i>	<i>inscriptus</i>	Lettered Aracari								x		900			272,1	
<i>Pteroglossus</i>	<i>azara</i>	Ivory-billed Aracari						x	x	x		1200			272,2	
<i>Pteroglossus</i>	<i>castanotis</i>	Chestnut-eared Aracari						x	x	x		1000			272,4	
<i>Pteroglossus</i>	<i>pluricinctus</i>	Many-banded Aracari							x	x		900			272,6	
<i>Pteroglossus</i>	<i>erythrogygius</i>	Pale-mandibled Aracari		x								800			272,5	
<i>Pteroglossus</i>	<i>beauharnesii</i>	Curl-crested Aracari							x	x		900			272,3	
<i>Selenidera</i>	<i>reinwardtii</i>	Golden-collared Toucanet						x	x	x		1000			276,1	
<i>Andigena</i>	<i>hypoglauca</i>	Grey-breasted Mountain Toucan		x	x	x	x	x	x			2300	3500	NT	274,7	
<i>Andigena</i>	<i>nigrirostris</i>	Black-billed Mountain Toucan		x			x					2200	2400		274,6	
<i>Ramphastos</i>	<i>vitellinus</i>	Channel-billed Toucan						x	x	x		1350			276,4	
<i>Ramphastos</i>	<i>tucanus</i>	White-throated Toucan						x	x	x		1100			276,3	
<i>Ramphastos</i>	<i>ambiguus</i>	Black-mandibled Toucan		x		x	x	x	x			900	1850		276,2	
<b>Picidae</b>		<b>Woodpeckers</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						

<i>Picumnus</i>	<i>aurifrons</i>	Bar-breasted Piculet								x						1250					278,2	
<i>Picumnus</i>	<i>lafresnayi</i>	Lafresnaye's Piculet						x	x	x	x					1200					278,1	
<i>Picumnus</i>	<i>sclateri</i>	Ecuadorian Piculet	x	x	x			x								1800		TR			280,2	
<i>Picumnus</i>	<i>steindachneri</i>	Speckle-chested Piculet								x	x				1100	2100		EPEA	VU		278,5	
<i>Picumnus</i>	<i>rufiventris</i>	Rufous-breasted Piculet								x	x	x				1250		EPEA			280,3	
<i>Picumnus</i>	<i>castelneau</i>	Plain-breasted Piculet														900					278,3	
<i>Picumnus</i>	<i>olivaceus</i>	Olivaceous Piculet	x													400	900				280,1	
<i>Melanerpes</i>	<i>cruentatus</i>	Yellow-tufted Woodpecker						x	x	x	x					1200					282,2	
<i>Melanerpes</i>	<i>pucherani</i>	Black-cheeked Woodpecker	x													900					306,4	
<i>Picoides</i>	<i>fumigatus</i>	Smoky-brown Woodpecker		x	x	x	x	x	x	x						1200	2900				280,5	
<i>Veniliornis</i>	<i>callonotus</i>	Scarlet-backed Woodpecker	x	x	x	x	x									1600					280,4	
<i>Veniliornis</i>	<i>dignus</i>	Yellow-vented Woodpecker								x						1500	2100				280,7	
<i>Veniliornis</i>	<i>nigriceps</i>	Bar-bellied Woodpecker		x		x	x	x	x							2400	3500				282,6	
<i>Veniliornis</i>	<i>passerinus</i>	Little Woodpecker						x	x	x	x					1000					282,4	
<i>Veniliornis</i>	<i>kirkii</i>	Red-rumped Woodpecker	x	x												600	900				280,6	
<i>Veniliornis</i>	<i>affinis</i>	Red-stained Woodpecker						x	x	x	x					1400					282,3	
<i>Piculus</i>	<i>leucolaemus</i>	White-throated Woodpecker								x	x	x				850					284,5	
<i>Piculus</i>	<i>flavigula</i>	Yellow-throated Woodpecker														500					284,4	
<i>Piculus</i>	<i>chrysochloros</i>	Golden-green Woodpecker										x	x			1100					284,6	
<i>Colaptes</i>	<i>rubiginosus</i>	Golden-olive Woodpecker	x	x	x	x	x	x	x	x						800					284,3	
<i>Colaptes</i>	<i>rivoli</i>	Crimson-mantled Woodpecker		x	x	x	x	x	x	x						1900	3500				282,5	
<i>Colaptes</i>	<i>atricollis</i>	Black-necked Woodpecker		x	x	x	x	x								900	3100				284,1	
<i>Colaptes</i>	<i>punctigula</i>	Spot-breasted Woodpecker						x	x	x	x					1150					284,2	
<i>Colaptes</i>	<i>rupicola</i>	Andean Flicker		x	x	x	x	x	x							2700	4500				286,1	
<i>Celeus</i>	<i>grammicus</i>	Scaly-breasted Woodpecker								x	x	x				1200					286,4	
<i>Celeus</i>	<i>elegans</i>	Chestnut Woodpecker								x	x	x				600					286,2	
<i>Celeus</i>	<i>flavus</i>	Cream-colored Woodpecker										x	x			600					286,6	
<i>Celeus</i>	<i>spectabilis</i>	Rufous-headed Woodpecker								x	x	x				700					286,5	
<i>Celeus</i>	<i>torquatus</i>	Ringed Woodpecker										x	x			750					286,3	
<i>Dryocopus</i>	<i>lineatus</i>	Lineated Woodpecker	x	x	x	x	x	x	x	x						1500					288,5	
<i>Campephilus</i>	<i>pollens</i>	Powerful Woodpecker		x		x	x	x	x							2100	3100				288,1	
<i>Campephilus</i>	<i>haematogaster</i>	Crimson-bellied Woodpecker		x		x	x	x	x							900	2300				288,2	
<i>Campephilus</i>	<i>rubricollis</i>	Red-necked Woodpecker						x	x	x	x					1600					288,3	
<i>Campephilus</i>	<i>melanoleucos</i>	Crimson-crested Woodpecker						x	x	x	x					1400					288,6	
<i>Campephilus</i>	<i>gayaquilensis</i>	Guayaquil Woodpecker	x	x	x			x								1700				NT	288,4	
<b>Furnariidae</b>		<b>Ovenbirds</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>												
<i>Geositta</i>	<i>tenuirostris</i>	Slender-billed Miner				x	x									2650	4600					302,2

<i>Geositta</i>	<i>peruviana</i>	Coastal Miner	x	x	x	x	x					700	PCPS, TR		300,1	
<i>Upucerthia</i>	<i>serrana</i>	Striated Earthcreeper				x	x				3000	4600	PHA		302,4	
<i>Cinclodes</i>	<i>fuscus</i>	Bar-winged Cinclodes		x	x	x	x	x	x		2750	4800			304,4	
<i>Cinclodes</i>	<i>atacamensis</i>	White-winged Cinclodes					x				2800	4600			304,6	
<i>Furnarius</i>	<i>minor</i>	Lesser Hornero								x		500			340,2	
<i>Furnarius</i>	<i>leucopus</i>	Pale-legged Hornero						x	x	x		2100			340,3	
	<i>l. cinnamomeus</i>	Pacific Hornero	x	x	x	x	x					2900			[340.3]	
<i>Furnarius</i>	<i>torridus</i>	Bay Hornero								x		500			0	
<i>Leptasthenura</i>	<i>pileata</i>	Rusty-crowned Tit-Spinetail				x	x					500	PHA		306,3	
<i>Schizoeaca</i>	<i>fuliginosa</i>	White-chinned Thistletail				x		x	x		2800	3300			308,3	
<i>Schizoeaca</i>	<i>griseomurina</i>	Mouse-colored Thistletail		x			x				2900	3300	CAP		308,2	
<i>Asthenes</i>	<i>pudibunda</i>	Canyon Canastero				x					2450	4000	PHA		320,5	
<i>Asthenes</i>	<i>humilis</i>	Streak-throated Canastero				x	x		x		3100	4800			320,3	
<i>Asthenes</i>	<i>wyatti</i>	Streak-backed Canastero		x			x				3500	4600			322,1	
<i>Asthenes</i>	<i>urubambensis</i>	Line-fronted Canastero				x		x	x		3100	3800	PHA	NT	320,6	
<i>Asthenes</i>	<i>flammulata</i>	Many-striped Canastero		x		x	x	x	x		2900	4400			322,4	
<i>Synallaxis</i>	<i>unirufa</i>	Rufous Spinetail		x		x	x	x	x		1700	3300			310,4	
<i>Synallaxis</i>	<i>azarae</i>	Azara's (Elegant) Spinetail	x	x	x	x	x	x	x		1250	3100			310,2	
<i>Synallaxis</i>	<i>albigularis</i>	Dark-breasted Spinetail						x	x	x		1800			312,4	
<i>Synallaxis</i>	<i>hypospodia</i>	Cinereous-breasted Spinetail					x	x	x		1000	1400			312,3	
<i>Synallaxis</i>	<i>rutilans</i>	Ruddy Spinetail						x	x	x		900			314,4	
<i>Synallaxis</i>	<i>cherriei</i>	Chestnut-throated Spinetail							x	x		500	1100		NT	314,3
<i>Synallaxis</i>	<i>brachyura</i>	Slaty Spinetail	x									750			314,6	
<i>Synallaxis</i>	<i>tithys</i>	Blackish-headed Spinetail	x	x							400	750	TR	EN	314,5	
<i>Synallaxis</i>	<i>propinqua</i>	White-bellied Spinetail								x		300			312,6	
<i>Synallaxis</i>	<i>moesta</i>	Dusky Spinetail						x	x	x		1250			314,1	
<i>Synallaxis</i>	<i>gujanensis</i>	Plain-crowned Spinetail						x	x	x		500			312,2	
<i>Synallaxis</i>	<i>maranonica</i>	Marañon Spinetail			x	x	x	x			450	1800	MV	VU	312,1	
<i>Synallaxis</i>	<i>zimmeri</i>	Russet-bellied Spinetail				x					2100	2900	PHA	EN	310,3	
<i>Synallaxis</i>	<i>stictothorax</i>	Necklaced Spinetail	x	x	x	x	x					-	MV, TR		308,7	
	<i>s. chinchipensis</i>	Chinchipe Spinetail					x	x			400	600			[308.7]	
<i>Siptornopsis</i>	<i>hypochondriaca</i>	Great Spinetail				x	x	x			2150	2800	MV	VU	308,6	
<i>Hellmayrea</i>	<i>gularis</i>	White-browed Spinetail		x		x	x	x	x		2900	3700			310,6	
<i>Cranioleuca</i>	<i>vulpecula</i>	Parker's Spinetail								x		300			316,3	
<i>Cranioleuca</i>	<i>antisiensis</i>	Line-cheeked Spinetail		x		x	x	x	x		850	4400			318,6	
	<i>a. baroni</i>	Baron's Spinetail				x	x				2000	4400			[318.6]	
<i>Cranioleuca</i>	<i>gutturata</i>	Speckled Spinetail						x	x	x		850			318,2	

<i>Cranioleuca</i>	<i>curtata</i>	Ash-browed Spinetail		x		x	x	x	x		800	2000			318,1
<i>Certhiaxis</i>	<i>cinnamomeus</i>	Yellow-chinned Spinetail								x		500			316,1
<i>Certhiaxis</i>	<i>mustelinus</i>	Red-and-white Spinetail								x		300			316,2
<i>Thripophaga</i>	<i>fusciceps</i>	Plain Softtail								x		650			316,4
<i>Thripophaga</i>	<i>berlepschi</i>	Russet-mantled Softtail				x		x	x		2500	3400	NEPC	VU	310,5
<i>Phacellodomus</i>	<i>rufifrons</i>	Rufous-fronted Thornbird				x	x	x	x		350	1400			324,1
<i>Phacellodomus</i>	<i>dorsalis</i>	Chestnut-backed Thornbird				x	x	x	x		2000	3100	MV	VU	324,3
<i>Phleocryptes</i>	<i>melanops</i>	Wren-like Rushbird		x	x	x					0	4300			304,2
<i>Siptornis</i>	<i>striaticollis</i>	Spectacled Prickletail		x			x	x			1600	2000			338,3
<i>Metopothrix</i>	<i>aurantiaca</i>	Orange-fronted Plushcrown								x	x	1100			316,5
<i>Xenerpestes</i>	<i>singularis</i>	Equatorial Greytail					x	x			1050	1700	EPEA	NT	338,5
<i>Premnornis</i>	<i>guttuligera</i>	Rusty-winged Barbtail		x				x	x		1300	2500			326,2
<i>Premnoplex</i>	<i>brunnescens</i>	Spotted Barbtail		x		x	x	x	x		850	3000			326,1
<i>Margarornis</i>	<i>squamiger</i>	Pearled Treerunner		x	x	x	x	x	x		2100	3700			326,3
<i>Pseudocolaptes</i>	<i>boissonneautii</i>	Streaked Tuftedcheek		x	x	x	x	x	x		1700	3450			334,1
<i>Berlepschia</i>	<i>rikeri</i>	Point-tailed Palmcreeper								x	x	600			330,1
<i>Anabacerthia</i>	<i>striaticollis</i>	Montane Foliage-gleaner		x	x	x	x	x	x		750	2100			326,4
<i>Syndactyla</i>	<i>subalaris</i>	Lineated Foliage-gleaner		x		x	x	x	x		1050	2100			326,5
<i>Syndactyla</i>	<i>rufosuperciliata</i>	Buff-browed Foliage-gleaner		x		x	x	x	x		700	3300			326,6
<i>Syndactyla</i>	<i>ruficollis</i>	Rufous-necked Foliage-gleaner	x	x	x		x				600	2650	TR	VU	330,3
<i>Ancistrops</i>	<i>strigilatus</i>	Chestnut-winged Hookbill						x	x	x		1100			328,2
<i>Hyloctistes</i>	<i>subulatus</i>	Eastern Woodhaunter						x	x	x		1400			330,2
<i>Philydor</i>	<i>ruficaudatum</i>	Rufous-tailed Foliage-gleaner						x	x	x		1050			328,5
<i>Philydor</i>	<i>erythrocercum</i>	Rufous-rumped Foliage-gleaner						x	x	x		900			328,3
<i>Philydor</i>	<i>erythropterum</i>	Chestnut-winged Foliage-gleaner						x	x	x		900			328,1
<i>Philydor</i>	<i>rufum</i>	Buff-fronted Foliage-gleaner					x	x	x		1000	1700			328,4
<i>Philydor</i>	<i>pyrrhodes</i>	Cinnamon-rumped Foliage-gleaner							x	x		500			330,4
<i>Thripadectes</i>	<i>melanorhynchus</i>	Black-billed Treehunter					x	x	x		850	1750			334,2
<i>Thripadectes</i>	<i>holostictus</i>	Striped Treehunter		x			x	x	x		1500	2400			334,3
<i>Thripadectes</i>	<i>flammulatus</i>	Flammulated Treehunter		x			x				2100	2950			334,5
<i>Thripadectes</i>	<i>scrutator</i>	Peruvian (Buff-throated) Treehunter				x		x	x		2100	3500			334,4
<i>Automolus</i>	<i>ochrolaemus</i>	Buff-throated Foliage-gleaner						x	x	x		1550			332,4
<i>Automolus</i>	<i>infuscatus</i>	Olive-backed Foliage-gleaner						x	x	x		600			332,6
<i>Automolus</i>	<i>melanopezus</i>	Brown-rumped Foliage-gleaner						x		x		450			332,3
<i>Automolus</i>	<i>rubiginosus</i>	Ruddy Foliage-gleaner						x	x	x		1400			332,1
<i>Automolus</i>	<i>dorsalis</i>	Dusky-cheeked Foliage-gleaner						x	x	x		1350			332,5
<i>Automolus</i>	<i>rufipileatus</i>	Chestnut-crowned Foliage-gleaner						x	x	x		1050			332,2

<i>Hylocryptus</i>	<i>erythrocephalus</i>	Henna-hooded Foliage-gleaner	x	x	x		x				400	1500	TR	VU	330,5
<i>Sclerurus</i>	<i>mexicanus</i>	Tawny-throated Leaf-tosser					x	x	x	x		1100			336,4
<i>Sclerurus</i>	<i>ruficularis</i>	Short-billed Leaf-tosser								x		800			336,3
<i>Sclerurus</i>	<i>albigularis</i>	Grey-throated Leaf-tosser		x		x	x	x	x			1700			336,1
<i>Sclerurus</i>	<i>caudacutus</i>	Black-tailed Leaf-tosser						x	x	x		1000			336,2
<i>Lochmias</i>	<i>nematura</i>	Sharp-tailed Streamcreeper		x		x	x	x	x		500	2300			336,5
<i>Xenops</i>	<i>milleri</i>	Rufous-tailed Xenops						x	x	x		500			338,6
<i>Xenops</i>	<i>tenuirostris</i>	Slender-billed Xenops						x	x	x		500			338,1
<i>Xenops</i>	<i>minutus</i>	Plain Xenops	x					x	x	x		1400			338,2
<i>Xenops</i>	<i>rutilans</i>	Streaked Xenops	x			x	x	x	x	x	600	2100			338,4
<i>Dendrocincla</i>	<i>tyrannina</i>	Tyrannine Woodcreeper				x	x	x	x		1850	3150			296,1
<i>Dendrocincla</i>	<i>fuliginosa</i>	Plain-brown Woodcreeper	x					x	x	x		1500			290,4
<i>Dendrocincla</i>	<i>merula</i>	White-chinned Woodcreeper							x	x		500			290,5
<i>Deconychura</i>	<i>longicauda</i>	Long-tailed Woodcreeper						x	x	x		1750			290,1
<i>Deconychura</i>	<i>stictolaema</i>	Spot-throated Woodcreeper							x	x		750			290,2
<i>Sittasomus</i>	<i>griseicapillus</i>	Olivaceous Woodcreeper	x	x		x	x	x	x	x		1700			296,3
<i>Glyphorhynchus</i>	<i>spirurus</i>	Wedge-billed Woodcreeper					x	x	x	x		1400			290,3
<i>Nasica</i>	<i>longirostris</i>	Long-billed Woodcreeper							x	x		500			298,2
<i>Dendrexetastes</i>	<i>rufigula</i>	Cinnamon-throated Woodcreeper							x	x	x	700			298,6
<i>Hylexetastes</i>	<i>stresemanni</i>	Bar-bellied Woodcreeper								x		450			292,3
<i>Xiphocolaptes</i>	<i>promeropirhynchus</i>	Strong-billed Woodcreeper	x	x		x	x	x	x	x	400	3100			292,1
<i>Dendrocolaptes</i>	<i>certhia</i>	Amazonian Barred Woodcreeper							x	x	x	800			292,5
<i>Dendrocolaptes</i>	<i>picumnus</i>	Black-banded Woodcreeper							x	x	x	1350			292,4
<i>Dendroplex</i>	<i>picus</i>	Straight-billed Woodcreeper							x	x		1100			294,2
<i>Dendroplex</i>	<i>kienerii</i>	Zimmer's Woodcreeper								x		300			294,1
<i>Xiphorhynchus</i>	<i>obsoletus</i>	Striped Woodcreeper								x	x	500			294,3
<i>Xiphorhynchus</i>	<i>ocellatus</i>	Ocellated Woodcreeper				x		x	x	x		1700			294,4
<i>Xiphorhynchus</i>	<i>elegans</i>	Elegant Woodcreeper							x	x	x	700			294,5
<i>Xiphorhynchus</i>	<i>guttatus</i>	Buff-throated Woodcreeper							x	x	x	900			292,2
<i>Xiphorhynchus</i>	<i>triangularis</i>	Olive-backed Woodcreeper		x		x	x	x	x		1000	2400			296,2
<i>Lepidocolaptes</i>	<i>souleyetii</i>	Streak-headed Woodcreeper	x	x	x	x	x					800			296,4
<i>Lepidocolaptes</i>	<i>lacrymiger</i>	Montane Woodcreeper		x	x	x	x	x	x		1300	3200			296,5
<i>Lepidocolaptes</i>	<i>albolineatus</i>	Lineated Woodcreeper					x	x	x	x		1200			296,6
<i>Campylorhamphus</i>	<i>pucherani</i>	Greater Scythebill		x		x	x	x	x		2100	3200		NT	298,4
<i>Campylorhamphus</i>	<i>trochilirostris</i>	Red-billed Scythebill	x	x	x			x	x	x		800			298,3
<i>Campylorhamphus</i>	<i>pusillus</i>	Brown-billed Scythebill		x			x	x	x		1600	2000			298,1
<i>Campylorhamphus</i>	<i>procurvoides</i>	Curve-billed Scythebill								x		300			298,5



Thamnophilidae		Antshrikes	TU	PI	LB	LL	CA	AM	SM	LO						
<i>Cymbilaimus</i>	<i>lineatus</i>	Fasciated Antshrike						x	x	x		1500				342,2
<i>Frederickena</i>	<i>unduligera</i>	Undulated Antshrike						x	x	x		1050				344,5
<i>Taraba</i>	<i>major</i>	Great Antshrike	x				x	x	x	x		1500				340,5
<i>Sakesphorus</i>	<i>canadensis</i>	Black-crested Antshrike								x		300				340,4
<i>Thamnophilus</i>	<i>bernardi</i>	Collared Antshrike	x	x	x	x	x	x				1950		MV, TR		344,4
<i>Thamnophilus</i>	<i>doliatus</i>	Barred Antshrike					x	x	x	x		1400				342,4
<i>Thamnophilus</i>	<i>zarumae</i>	Chapman's Antshrike	x	x	x	x						600	2600	TR		342,3
<i>Thamnophilus</i>	<i>tenuepunctatus</i>	Lined Antshrike				x	x	x	x			700	1700			342,5
<i>Thamnophilus</i>	<i>cryptoleucus</i>	Castelnau's Antshrike								x		300				346,5
<i>Thamnophilus</i>	<i>aethiops</i>	White-shouldered Antshrike						x	x	x		1500				346,3
<i>Thamnophilus</i>	<i>unicolor</i>	Uniform Antshrike		x		x	x	x	x			1250	2300			348,6
<i>Thamnophilus</i>	<i>schistaceus</i>	Plain-winged Antshrike						x	x	x		1300				346,2
<i>Thamnophilus</i>	<i>murinus</i>	Mouse-colored Antshrike						x	x	x		1200				346,1
<i>Thamnophilus</i>	<i>atrinucha</i>	Western Slaty Antshrike	x									400	800			350,5
<i>Thamnophilus</i>	<i>punctatus leucogaster</i>	Northern Slaty Antshrike					x	x				1200				350,3
	<i>p. huallagae</i>	Northern Slaty Antshrike							x			300				[350.3]
<i>Thamnophilus</i>	<i>amazonicus</i>	Amazonian Antshrike								x		300				350,6
<i>Thamnophilus</i>	<i>divisorius</i>	Acre Antshrike								x		500				346,4
<i>Thamnophilus</i>	<i>caerulescens</i>	Variable Antshrike				x		x	x	x		600	3000			350,4
<i>Thamnophilus</i>	<i>ruficapillus</i>	Rufous-capped Antshrike			x		x	x				1800	3000			348,4
<i>Megastictus</i>	<i>margaritatus</i>	Pearly Antshrike								x		300				350,1
<i>Neotantes</i>	<i>niger</i>	Black Bushbird						x		x		750				376,2
<i>Thamnistes</i>	<i>anabatinus</i>	Russet Antshrike					x	x	x			600	1600			352,5
<i>Dysithamnus</i>	<i>mentalis</i>	Plain Antwreos	x			x	x	x	x			400	2100			348,2
<i>Dysithamnus</i>	<i>occidentalis</i>	Bicolored Antwreos					x	x	x			2000	2500	EPEA	VU	348,3
<i>Dysithamnus</i>	<i>leucostictus</i>	White-streaked Antwreos					x	x				1350	1850			348,1
<i>Thamnomanes</i>	<i>ardesiacus</i>	Dusky-throated Antshrike						x	x	x		1000				352,4
<i>Thamnomanes</i>	<i>saturninus</i>	Saturnine Antshrike								x		300				352,3
<i>Thamnomanes</i>	<i>caesius</i>	Cinereous Antshrike							x	x		500				352,1
<i>Thamnomanes</i>	<i>schistogynus</i>	Bluish-slate Antshrike								x		1400				352,2
<i>Pygiptila</i>	<i>stellaris</i>	Spot-winged Antshrike							x	x		600				350,2
<i>Epinecrophylla</i>	<i>leucophthalma</i>	White-eyed Antwren								x		800				354,4
<i>Epinecrophylla</i>	<i>haematonota</i>	Stipple-throated Antwren							x	x		500				354,6
<i>Epinecrophylla</i>	<i>fjeldsaii</i>	Yasuni Antwren								x		-				0
<i>Epinecrophylla</i>	<i>spodionota</i>	Foothill Antwren					x	x	x			750	1500			354,3
<i>Epinecrophylla</i>	<i>ornata</i>	Ornate Antwren						x	x	x		1500				354,2

<i>Epinecrophylla</i>	<i>erythrura</i>	Rufous-tailed Antwren						x	x	x		1000			354,1
<i>Myrmotherula</i>	<i>ignota</i>	Moustached Antwren						x	x	x		1000			356,1
<i>Myrmotherula</i>	<i>brachyura</i>	Pygmy Antwren						x	x	x		1000			356,2
<i>Myrmotherula</i>	<i>multostriata</i>	Amazonian Streaked Antwren							x	x		500			356,6
<i>Myrmotherula</i>	<i>cherriei</i>	Cherrie's Antwren								x		300			356,5
<i>Myrmotherula</i>	<i>longicauda</i>	Stripe-chested Antwren						x	x	x	500	1550			356,3
<i>Myrmotherula</i>	<i>sclateri</i>	Sclater's Antwren								x		700			356,4
<i>Myrmotherula</i>	<i>hauxwelli</i>	Plain-throated Antwren						x	x	x		700			378,5
<i>Myrmotherula</i>	<i>axillaris</i>	White-flanked Antwren						x	x	x		1050			360,2
<i>Myrmotherula</i>	<i>schisticolor</i>	Slaty Antwren	x		x	x	x	x	x		1100	2000			358,6
<i>Myrmotherula</i>	<i>longipennis</i>	Long-winged Antwren						x	x	x		900			358,4
<i>Myrmotherula</i>	<i>menetriesii</i>	Grey Antwren						x	x	x		1100			358,2
<i>Myrmotherula</i>	<i>assimilis</i>	Leaden Antwren								x		300			358,1
<i>Dichrozona</i>	<i>cincta</i>	Banded Antbird						x	x	x		900			368,5
<i>Herpsilochmus</i>	<i>parkeri</i>	Ash-throated Antwren							x	x	1250	1450	ARTF	EN	362,3
<i>Herpsilochmus</i>	<i>dugandi</i>	Dugand's Antwren								x		300			362,2
<i>Herpsilochmus</i>	<i>gentryi</i>	Ancient Antwren								x		300		NT	362,5
<i>Herpsilochmus</i>	<i>axillaris</i>	Yellow-breasted Antwren	x		x	x	x	x			750	1900			362,6
<i>Herpsilochmus</i>	<i>rufimarginatus</i>	Rufous-winged Antwren				x	x	x				1150			362,4
<i>Microrhoptias</i>	<i>quixensis</i>	Dot-winged Antwren							x	x		1400			364,5
<i>Formicivora</i>	<i>rufa</i>	Rusty-backed Antwren								x		300			360,1
<i>Drymophila</i>	<i>caudata</i>	Long-tailed Antbird	x	x	x	x	x	x			1600	2500			364,3
<i>Terenura</i>	<i>callinota</i>	Rufous-rumped Antwren	x		x	x	x	x			1050	2000			360,6
<i>Terenura</i>	<i>humeralis</i>	Chestnut-shouldered Antwren							x	x		650			360,4
<i>Terenura</i>	<i>spodioptila</i>	Ash-winged Antwren								x		300			360,3
<i>Cercomacra</i>	<i>cinerascens</i>	Grey Antbird						x	x	x		1150			366,2
<i>Cercomacra</i>	<i>nigrescens</i>	Blackish Antbird						x	x	x		600			366,3
<i>Cercomacra</i>	<i>serva</i>	Black Antbird				x	x	x	x			1500			366,4
<i>Pyriglena</i>	<i>leuconota</i>	White-backed Fire-eye	x	x		x	x	x	x		500	2100			352,6
<i>Myrmoborus</i>	<i>leucophrys</i>	White-browed Antbird						x	x	x		1400			368,4
<i>Myrmoborus</i>	<i>lugubris</i>	Ash-breasted Antbird								x		300			368,1
<i>Myrmoborus</i>	<i>myotherinus</i>	Black-faced Antbird						x	x	x		1250			368,2
<i>Myrmoborus</i>	<i>melanurus</i>	Black-tailed Antbird								x		300	UANL	NT	368,3
<i>Hypocnemis</i>	<i>peruviana</i>	Peruvian Warbling Antbird						x	x	x		1600			364,2
<i>Hypocnemis</i>	<i>hypoxantha</i>	Yellow-browed Antbird						x		x		500			364,1
<i>Hypocnemoides</i>	<i>melanopogon</i>	Black-chinned Antbird								x		500			376,4
<i>Hypocnemoides</i>	<i>maculicauda</i>	Band-tailed Antbird								x		500			376,3

<i>Myrmochanes</i>	<i>hemileucus</i>	Black-and-white Antbird								x										300					376,5	
<i>Sclateria</i>	<i>naevia</i>	Silvered Antbird								x	x									600					376,1	
<i>Percnostola</i>	<i>rufifrons</i>	Black-headed Antbird									x									300					344,1	
<i>Percnostola</i>	<i>arenarum</i>	Allpahuayo Antbird									x									300	?	VU			344,3	
<i>Schistocichla</i>	<i>schistacea</i>	Slate-colored Antbird									x									500					370,1	
<i>Schistocichla</i>	<i>leucostigma</i>	Spot-winged Antbird						x	x	x	x									1650					370,2	
<i>Myrmeciza</i>	<i>hemimelaena</i>	Southern Chestnut-tailed Antbird								x	x									1500					370,4	
<i>Myrmeciza</i>	<i>castanea</i>	Zimmer's Chestnut-tailed Antbird								x	x	x								1500					370,3	
<i>Myrmeciza</i>	<i>atrothorax</i>	Black-throated Antbird								x	x	x								1000					370,5	
<i>Myrmeciza</i>	<i>melanoiceps</i>	White-shouldered Antbird									x	x								600					372,4	
<i>Myrmeciza</i>	<i>hyperythra</i>	Plumbeous Antbird									x	x								800					372,2	
<i>Myrmeciza</i>	<i>fortis</i>	Sooty Antbird								x	x	x								1300					372,1	
<i>Myrmeciza</i>	<i>griseiceps</i>	Grey-headed Antbird	x	x																700	2900	TR	VU		366,5	
<i>Myrmornis</i>	<i>torquata</i>	Wing-banded Antbird										x								500					378,4	
<i>Pithys</i>	<i>albifrons</i>	White-plumed Antbird									x	x	x							1350					374,6	
<i>Pithys</i>	<i>castaneus</i>	White-masked Antbird										x								500	UANL	NT			374,4	
<i>Gymnopithys</i>	<i>leucaspis</i>	Bicolored Antbird									x	x	x							750					374,1	
<i>Gymnopithys</i>	<i>salvini</i>	White-throated Antbird											x							800					374,5	
<i>Gymnopithys</i>	<i>lunulatus</i>	Lunulated Antbird										x	x							600					374,3	
<i>Rhegmatorhina</i>	<i>melanosticta</i>	Hairy-crested Antbird									x	x	x							1350					374,2	
<i>Hylophylax</i>	<i>naevius</i>	Spot-backed Antbird							x	x	x	x								1200					378,2	
<i>Hylophylax</i>	<i>punctulatus</i>	Dot-backed Antbird											x							500					378,1	
<i>Willisornis</i>	<i>poecilinotus</i>	Scale-backed Antbird									x	x	x							1350					378,3	
<i>Phlegopsis</i>	<i>nigromaculata</i>	Black-spotted Bare-eye										x	x							800					372,6	
<i>Phlegopsis</i>	<i>erythroptera</i>	Reddish-winged Bare-eye											x							500					372,5	
<b>Formicariidae</b>		<b>Antthrushes</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>																
<i>Formicarius</i>	<i>colma</i>	Rufous-capped Antthrush							x	x	x									500						380,5
<i>Formicarius</i>	<i>analís</i>	Black-faced Antthrush							x	x	x									1150						380,7
<i>Formicarius</i>	<i>rufipectus</i>	Rufous-breasted Antthrush					x	x	x	x										1100	1850					380,4
<i>Chamaeza</i>	<i>campanisona</i>	Short-tailed Antthrush					x	x	x	x										900	1700					380,2
<i>Chamaeza</i>	<i>nobilis</i>	Striated Antthrush							x	x	x									450						380,1
<i>Chamaeza</i>	<i>mollissima</i>	Barred Antthrush			x				x	x	x									1800	3100					380,3
<b>Grallariidae</b>		<b>Antpittas</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>																
<i>Grallaria</i>	<i>squamigera</i>	Undulated Antpitta			x		x	x	x	x										2250	3500					382,2
<i>Grallaria</i>	<i>varia</i>	Variagated Antpitta											x							500						382,5
<i>Grallaria</i>	<i>guatemalensis</i>	Scaled Antpitta	x	x	x	x	x	x	x	x										650	1750					382,6
<i>Grallaria</i>	<i>haplnota</i>	Plain-backed Antpitta						x	x	x										1150	1500					382,4

<i>Grallaria</i>	<i>dignissima</i>	Ochre-striped Antpitta								x		300	UANL		382,1	
<i>Grallaria</i>	<i>eludens</i>	Elusive Antpitta								x		300		NT	382,3	
<i>Grallaria</i>	<i>ruficapilla</i>	Chestnut-crowned Antpitta		x	x		x	x				1200	3100		384,4	
<i>Grallaria</i>	<i>watkinsi</i>	Watkins's Antpitta	x	x								400	900		384,3	
<i>Grallaria</i>	<i>andicolus</i>	Stripe-headed Antpitta				x	x	x	x			3500	4600		384,1	
<i>Grallaria</i>	<i>ridgelyi</i>	Jocotoco Antpitta					x					-	-	?	EN	306,7
<i>Grallaria</i>	<i>nuchalis</i>	Chestnut-naped Antpitta		x			x	x				2200	2950		386,6	
<i>Grallaria</i>	<i>carrikeri</i>	Pale-billed Antpitta				x		x	x			2350	2900	NEPC		386,7
<i>Grallaria</i>	<i>hypoleuca</i>	White-bellied Antpitta		x			x	x				1700	2100		386,1	
<i>Grallaria</i>	<i>przewalskii</i>	Rusty-tinged Antpitta				x		x	x			1700	2750	NEPC		386,2
<i>Grallaria</i>	<i>rufula</i>	Rufous Antpitta					x	x	x			2400	3700		384,6	
	<i>r. cajamarcae</i>	'Cajamarca Antpitta'		x	x		x					2400	3700		[384.6]	
<i>Grallaria</i>	<i>blakei</i>	Chestnut Antpitta						x	x			1700	3100	NEPC	NT	384,5
<i>Grallaria</i>	<i>quitensis</i>	Tawny Antpitta		x		x	x	x	x			2850	3400		384,2	
<i>Hylopezus</i>	<i>macularius</i>	Spotted Antpitta								x		300			390,6	
<i>Hylopezus</i>	<i>fulviventris</i>	White-lored Antpitta							x	x		300			390,5	
<i>Hylopezus</i>	<i>berlepschi</i>	Amazonian Antpitta								?		700			390,7	
<i>Myrmothera</i>	<i>campanisona</i>	Thrush-like Antpitta						x	x	x		1500			388,6	
<i>Grallaricula</i>	<i>flavirostris</i>	Ochre-breasted Antpitta					x	x	x			1300	2300		388,2	
<i>Grallaricula</i>	<i>peruviana</i>	Peruvian Antpitta		x			x					1700	2100	EPEA	NT	388,3
<i>Grallaricula</i>	<i>ferruginepectus</i>	Rusty-breasted Antpitta										1750	2450		388,4	
	<i>f. leymebambae</i>	'Leymebamba' Antpitta				x		x	x			2000	3250		[388.4]	
<i>Grallaricula</i>	<i>ochraceifrons</i>	Ochre-fronted Antpitta							x			1850	2400	ARTF	EN	388,1
<i>Grallaricula</i>	<i>nana</i>	Slaty-crowned Antpitta		x	x		x					2200	2900		388,5	
<b>Conopophagidae</b>		<b>Gnateaters</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Conopophaga</i>	<i>aurita</i>	Chestnut-belted Gnateater								x		500			390,1	
<i>Conopophaga</i>	<i>peruviana</i>	Ash-throated Gnateater						x	x	x		1000			390,2	
<i>Conopophaga</i>	<i>castaneiceps</i>	Chestnut-crowned Gnateater		x		x	x	x	x			1000	2200		390,3	
<b>Rhinocryptidae</b>		<b>Tapaculos</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Acropternis</i>	<i>orthonyx</i>	Ocellated Tapaculo		x			x	x				2300	2950		392,5	
<i>Liosceles</i>	<i>thoracicus</i>	Rusty-belted Tapaculo						x	x	x		1100			392,2	
<i>Myornis</i>	<i>senilis</i>	Ash-colored Tapaculo		x		x	x	x	x			2600	3450		392,1	
<i>Scytalopus</i>	<i>atratus</i>	Northern White-crowned Tapaculo		x		x	x	x	x			1000	2400		396,5	
<i>Scytalopus</i>	<i>femoralis</i>	Rufous-vented Tapaculo				x		x	x			1000	2600		396,2	
<i>Scytalopus</i>	<i>micropterus</i>	Long-tailed Tapaculo		x				x	x			2400	3500		394,5	
<i>Scytalopus</i>	<i>parkeri</i>	Chusquea Tapaculo		x			x					2200	2900		396,3	
<i>Scytalopus</i>	<i>parvirostris</i>	Trilling Tapaculo						x	x			2100	3200		394,3	

<i>Scytalopus</i>	<i>acutirostris</i>	Tschudi's Tapaculo					x		x	x		2500	3700			394,4
<i>Scytalopus</i>	<i>unicolor</i>	Unicolored Tapaculo				x	x	x				2400	3400			394,2
<i>Scytalopus</i>	<i>opacus</i>	Paramo Tapaculo		x	x		x					2900	3300			398,1
<i>Scytalopus</i>	<i>altirostris</i>	Neblina Tapaculo					x		x	x		2900	3700			398,2
<i>Scytalopus</i>	<i>latrans</i>	Blackish Tapaculo		x	x	x	x	x	x			1500	3200			394,1
<i>Scytalopus</i>	<i>macropus</i>	Large-footed Tapaculo					x		x	x		2400	3500	NEPC		394,5
<b>Melanopareiidae</b>		<b>Crescentchests</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Melanopareia</i>	<i>maranonica</i>	Marañon Crescentchest					x	x	x			200	700	MV	NT	392,3
<i>Melanopareia</i>	<i>elegans</i>	Elegant Crescentchest	x	x	x	x	x						2000			392,3
<b>Tyrannidae</b>		<b>Tyrant Flycatchers</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Piprites</i>	<i>chloris</i>	Wing-barred Piprites						x	x	x			1500			496,6
<i>Phyllomyias</i>	<i>burmeisteri</i>	Rough-legged Tyrannulet							x	x		750	1600			400,1
<i>Phyllomyias</i>	<i>griseiceps</i>	Sooty-headed Tyrannulet	x					x	x				1200			400,3
<i>Phyllomyias</i>	<i>plumbeiceps</i>	Plumbeous-crowned Tyrannulet		x	x	x	x	x	x			1200	1900			402,2
<i>Phyllomyias</i>	<i>nigrocapillus</i>	Black-capped Tyrannulet		x	x	x	x	x	x			1700	3100			400,2
<i>Phyllomyias</i>	<i>cinereiceps</i>	Ashy-headed Tyrannulet		x	x	x	x	x	x			1300	2450			402,1
<i>Phyllomyias</i>	<i>uropygialis</i>	Tawny-rumped Tyrannulet		x	x	x	x	x	x			1800	3600			400,6
<i>Phyllomyias</i>	<i>zeledoni</i>	White-fronted Tyrannulet							x			600	1600			0
<i>Tyrannulus</i>	<i>elatus</i>	Yellow-crowned Tyrannulet						x	x	x			700			408,3
<i>Myiopagis</i>	<i>gaimardii</i>	Forest Elaenia						x	x	x			1300			408,6
<i>Myiopagis</i>	<i>caniceps</i>	Grey Elaenia						x	x	x			700			408,4
<i>Myiopagis</i>	<i>olallai</i>	Foothill Elaenia						?	?						NT	408,5
<i>Myiopagis</i>	<i>subplacens</i>	Pacific Elaenia	x	x	x		x						1800	TR		408,2
<i>Myiopagis</i>	<i>flavivertex</i>	Yellow-crowned Elaenia						x	x	x			600			408,3
<i>Myiopagis</i>	<i>viridicata</i>	Greenish Elaenia	x									400	800			408,1
<i>Elaenia</i>	<i>flavogaster</i>	Yellow-bellied Elaenia				x	x	x	x			450	1500			410,1
<i>Elaenia</i>	<i>spectabilis</i>	Large Elaenia						x	x	x			1450			410,2
<i>Elaenia</i>	<i>albiceps</i>	White-crested Elaenia		x	x	x	x	x	x			800	3500			412,2
	<i>a. modesta</i>	Peruvian Elaenia			x	x										[412.2]
<i>Elaenia</i>	<i>parvirostris</i>	Small-billed Elaenia						x	x	x			1300			412,3
<i>Elaenia</i>	<i>strepera</i>	Slaty Elaenia						x	x	x			500			410,3
<i>Elaenia</i>	<i>gigas</i>	Mottle-backed Elaenia						x	x	x			1800			410,4
<i>Elaenia</i>	<i>pelzelni</i>	Brownish Elaenia								x			300			410,5
<i>Elaenia</i>	<i>chiriquensis</i>	Lesser Elaenia			x	x	x	x	x				2000			412,5
<i>Elaenia</i>	<i>obscura</i>	Highland Elaenia		x	x	x	x	x	x			1400	2700			410,6
<i>Elaenia</i>	<i>pallatangae</i>	Sierran Elaenia		x	x	x	x	x	x			1100	3500			412,1
<i>Ornithion</i>	<i>inermis</i>	White-lored Tyrannulet						x	x	x			1000			416,5

<i>Camptostoma</i>	<i>obsoletum sclateri</i>	Southern Beardless Tyrannulet	x	x	x	x	x	x			0	2600			416,2	
	<i>o. olivaceum</i>	West Amazonian Beardless Tyrannulet						x	x	x		800			[416.2]	
<i>Mecocerculus</i>	<i>leucophrys</i>	White-throated Tyrannulet		x		x	x	x	x			1800	4600		418,2	
<i>Mecocerculus</i>	<i>poecilocercus</i>	White-tailed Tyrannulet		x	x	x	x	x	x			1450	2700		418,4	
<i>Mecocerculus</i>	<i>calopterus</i>	Rufous-winged Tyrannulet	x	x	x	x	x	x	x			500	1700		418,5	
<i>Mecocerculus</i>	<i>minor</i>	Sulphur-bellied Tyrannulet		x	x	x	x	x	x			1600	2500		418,3	
<i>Mecocerculus</i>	<i>stictopterus</i>	White-banded Tyrannulet		x	x	x	x	x	x			2400	3600		418,1	
<i>Anairetes</i>	<i>nigrocristatus</i>	Black-crested Tit-Tyrant		x	x	x	x	x				2100	4000		420,3	
<i>Anairetes</i>	<i>reguloides</i>	Pied-crested Tit-Tyrant				x						2800			420,4	
<i>Anairetes</i>	<i>flavirostris</i>	Yellow-billed Tit-Tyrant		x	x	x	x					1900	4100		420,1	
<i>Anairetes</i>	<i>parulus</i>	Tufted Tit-Tyrant		x	x	x	x	x	x			1450	4400		420,2	
<i>Anairetes</i>	<i>agraphia</i>	Unstreaked Tit-Tyrant				x		x	x			2600	3450	NEPC	420,6	
<i>Serpophaga</i>	<i>cinerea</i>	Torrent Tyrannulet		x		x	x	x	x			800	3100		414,2	
<i>Serpophaga</i>	<i>hypoleuca</i>	River Tyrannulet						x	x	x		500			414,1	
<i>Phaeomyias</i>	<i>murina</i>	Mouse-colored Tyrannulet													416,4	
<i>Phaeomyias</i>	<i>m. tumbezana</i>	Tumbesian (Mouse-colored) Tyrannulet	x	x	x	x	x					2000			[416.4]	
	<i>m. maranonica</i>	Marañon (Mouse-colored) Tyrannulet			x	x	x	x				2000			[416.4]	
	<i>m. waggae</i>	Amazon (Mouse-colored) Tyrannulet						x	x	x		500			[416.4]	
<i>Capsiempis</i>	<i>flaveola</i>	Yellow Tyrannulet							x	x		1150			406,6	
<i>Pseudocolopteryx</i>	<i>acutipennis</i>	Subtropical Doradito							x			1400	3200		414,5	
<i>Pseudotriccus</i>	<i>pelzelni</i>	Bronze-olive Pygmy Tyrant		x		x	x	x	x			1100	2100		422,4	
<i>Pseudotriccus</i>	<i>ruficeps</i>	Rufous-headed Pygmy Tyrant		x		x	x	x	x			2000	3350		422,6	
<i>Corythopsis</i>	<i>torquatus</i>	Ringed Antpipit						x	x	x		1500			440,1	
<i>Euscarthmus</i>	<i>meloryphus</i>	Tawny-crowned Pygmy Tyrant	x	x	x	x	x	x	x			2500			434,1	
<i>Pseudelaenia</i>	<i>leucospodia</i>	Grey-and-white Tyrannulet	x	x	x	x	x					800		TR	416,3	
<i>Stigmatura</i>	<i>napensis</i>	Lesser Wagtail-Tyrant								x		500			414,6	
<i>Zimmerius</i>	<i>cinereicapilla</i>	Red-billed Tyrannulet					x	x	x			550	1300	EPEA, PEA	406,3	
<i>Zimmerius</i>	<i>villarejoi</i>	Mishana Tyrannulet							x	x		1100		?	VU	406,5
<i>Zimmerius</i>	<i>gracilipes</i>	Slender-footed Tyrannulet							x	x		1000			406,4	
<i>Zimmerius</i>	<i>chrysops</i>	Golden-faced Tyrannulet				x	x	x	x			1000	2450		406,2	
<i>Zimmerius</i>	<i>flavidifrons</i>	Loja Tyrannulet	x	x								1200	2600		406,2	
<i>Pogonotriccus</i>	<i>poecilotis</i>	Variagated Bristle Tyrant		x			x	x	x			1400	2300		402,3	
<i>Pogonotriccus</i>	<i>ophthalmicus</i>	Marble-faced Bristle Tyrant		x	x	x	x	x	x			750	1800		402,4	
<i>Pogonotriccus</i>	<i>orbitalis</i>	Spectacled Bristle Tyrant					x	x	x			500	1400		402,6	
<i>Phylloscartes</i>	<i>ventralis</i>	Mottle-cheeked Tyrannulet				x		x	x			1000	2400		404,6	
<i>Phylloscartes</i>	<i>gualaquizae</i>	Ecuadorian Tyrannulet						x	x			800	1500	EPEA	402,5	
<i>Phylloscartes</i>	<i>superciliaris</i>	Rufous-browed Tyrannulet					x	x				1400	1800		404,5	

<i>Mionectes</i>	<i>striaticollis</i>	Streak-necked Flycatcher		x		x	x	x	x		500	3300			424,2
<i>Mionectes</i>	<i>olivaceus</i>	Olive-striped Flycatcher					x	x	x			1400			424,1
<i>Mionectes</i>	<i>macconnelli</i>	McConnell's Flycatcher							x			1200			424,3
<i>Mionectes</i>	<i>oleagineus</i>	Ochre-bellied Flycatcher	x					x	x	x		1300			424,4
<i>Leptopogon</i>	<i>amaurocephalus</i>	Sepia-capped Flycatcher							x	x		1300			404,2
<i>Leptopogon</i>	<i>superciliaris</i>	Slaty-capped Flycatcher	x	x		x	x	x	x		600	2000			404,1
<i>Leptopogon</i>	<i>rufipectus</i>	Rufous-breasted Flycatcher		x			x				1650	2150			404,3
<i>Leptopogon</i>	<i>taczanowskii</i>	Inca Flycatcher				x		x	x		1700	2700	NEPC		404,4
<i>Sublegatus</i>	<i>obscurior</i>	Amazonian Scrub Flycatcher							x	x		1000			414,4
<i>Myiophobus</i>	<i>flavicans</i>	Fluorescent Flycatcher		x	x	x	x	x	x		1500	2300			444,4
<i>Myiophobus</i>	<i>phoenicomitra</i>	Orange-crested Flycatcher						x	x		1100	1400			444,3
<i>Myiophobus</i>	<i>roraimae</i>	Roraiman Flycatcher						x	x	x	900	1800			442,5
<i>Myiophobus</i>	<i>cryptoxanthus</i>	Olive-chested Flycatcher					x	x	x		900	1750	UANL		442,3
<i>Myiophobus</i>	<i>fasciatus</i>	Bran-colored Flycatcher						x	x	x		2700			442,4
	<i>f. rufescens</i>	Bran-colored Flycatcher			x	x					0	1000			[442.4]
	<i>f. crypterythrus</i>	Bran-colored Flycatcher	x	x	x	x	x	x			0	1500			[442.4]
<i>Myiophobus</i>	<i>pulcher</i>	Handsome Flycatcher		x			x				2000	2200			444,5
<i>Myiophobus</i>	<i>lintoni</i>	Orange-banded Flycatcher		x			x				2400	2750	NT		444,1
<i>Myiophobus</i>	<i>ochraceiventris</i>	Ochraceous-breasted Flycatcher						x	x		2200	3700			444,2
<i>Myiotriccus</i>	<i>ornatus</i>	Ornate Flycatcher		x		x	x	x	x		700	2200			424,5
<i>Tachuris</i>	<i>rubrigastra</i>	Many-colored Rush Tyrant		x	x	x					0	3500			418,6
<i>Hemitriccus</i>	<i>flammulatus</i>	Flammulated Bamboo Tyrant							x			850			428,5
<i>Hemitriccus</i>	<i>zosterops</i>	White-eyed Tody-Tyrant						x	x	x		1350			428,1
<i>Hemitriccus</i>	<i>griseipectus</i>	White-bellied Tody-Tyrant								x		900			428,2
<i>Hemitriccus</i>	<i>minimus</i>	Zimmer's Tody-Tyrant								x		300			428,3
<i>Hemitriccus</i>	<i>iohannis</i>	Johannes's Tody-Tyrant							x	x		800			430,2
<i>Hemitriccus</i>	<i>striaticollis</i>	Stripe-necked Tody-Tyrant							x			1000			430,1
<i>Hemitriccus</i>	<i>margaritaceiventer</i>	Pearly-vented Tody-Tyrant								x		1000			430,4
<i>Hemitriccus</i>	<i>granadensis</i>	Black-throated Tody-Tyrant		x	x	x	x	x	x		1800	3100			430,6
<i>Hemitriccus</i>	<i>cinnamomeipectus</i>	Cinnamon-breasted Tody-Tyrant						x	x		1700	2200	ARTF	NT	430,5
<i>Hemitriccus</i>	<i>rufigularis</i>	Buff-throated Tody-Tyrant							x	x	750	1450		NT	430,3
<i>Hemitriccus</i>	<i>minor</i>	Snethlage's Tody-Tyrant								x		500			428
<i>Myiornis</i>	<i>albiventris</i>	White-bellied Pygmy Tyrant							x	x	350	1100			426,1
<i>Myiornis</i>	<i>ecaudatus</i>	Short-tailed Pygmy Tyrant						x	x	x		1000			426,2
<i>Lophotriccus</i>	<i>pileatus</i>	Scale-crested Pygmy Tyrant	x	x	x	x	x	x	x		700	2100			426,4
<i>Lophotriccus</i>	<i>vitiosus</i>	Double-banded Pygmy Tyrant						x	x	x		750			426,6
<i>Lophotriccus</i>	<i>galeatus</i>	Helmeted Pygmy Tyrant								x		600			426,5

<i>Poecilotriccus</i>	<i>ruficeps</i>	Rufous-crowned Tody-Flycatcher		x				x					2400	2900			432,6
<i>Poecilotriccus</i>	<i>luluae</i>	Lulu's Tody-Flycatcher						x	x				1850	2900	?	VU	432,5
<i>Poecilotriccus</i>	<i>capitalis</i>	Black-and-white Tody-Flycatcher						x	x	x	x		600	1350			432,3
<i>Poecilotriccus</i>	<i>latirostris</i>	Rusty-fronted Tody-Flycatcher						x	x	x				1000			432,2
<i>Poecilotriccus</i>	<i>calopterus</i>	Golden-winged Tody-Flycatcher						x		x			600		UANL		434,5
<i>Todirostrum</i>	<i>maculatum</i>	Spotted Tody-Flycatcher							x	x				500			434,3
<i>Todirostrum</i>	<i>chrysocrotaphum</i>	Yellow-browed Tody-Flycatcher						x	x	x				1000			434,2
<i>Todirostrum</i>	<i>cinereum</i>	Common Tody-Flycatcher	x	x	x	x	x	x	x	x				2000			434,4
<i>Cnipodectes</i>	<i>subbrunneus</i>	Brownish Twistwing							x	x				1000			436,1
<i>Rhynchocyclus</i>	<i>olivaceus</i>	Olivaceous Flatbill						x	x	x				1100			436,6
<i>Rhynchocyclus</i>	<i>fulvipectus</i>	Fulvous-breasted Flatbill		x		x	x	x	x				1000	2000			436,5
<i>Tolmomyias</i>	<i>sulphurescens</i>	Yellow-olive Flatbill	x	x		x	x	x	x	x			400	2400			438,1
<i>Tolmomyias</i>	<i>traylori</i>	Orange-eyed Flatbill								x				300			438,3
<i>Tolmomyias</i>	<i>flavotectus</i>	Yellow-margined Flatbill						x	x	x				1300			438,2
<i>Tolmomyias</i>	<i>poliocephalus</i>	Grey-crowned Flatbill						x	x	x				1400			438,4
<i>Tolmomyias</i>	<i>viridiceps</i>	Olive-faced Flatbill					x	x	x	x				1500			438,5
<i>Platyrinchus</i>	<i>saturatus</i>	Cinnamon-crested Spadebill								x				300			440,3
<i>Platyrinchus</i>	<i>mystaceus</i>	White-throated Spadebill	x	x			x	x	x				400	2000			440,6
<i>Platyrinchus</i>	<i>coronatus</i>	Golden-crowned Spadebill						x	x	x				500			440,4
<i>Platyrinchus</i>	<i>flavicularis</i>	Yellow-throated Spadebill	x	x		x	x	x	x	x			1200	2000			440,5
<i>Platyrinchus</i>	<i>platyrhynchos</i>	White-crested Spadebill							x	x				1100			440,2
<i>Neopipo</i>	<i>cinnamomea</i>	Cinnamon Neopipo						x	x	x				700			442,1
<i>Pyrrhomyias</i>	<i>cinnamomeus</i>	Cinnamon Flycatcher		x	x	x	x	x	x				900	3400			424,6
<i>Hirundinea</i>	<i>ferruginea</i>	Cliff Flycatcher				x	x	x	x				400	2200			460,3
<i>Lathrotriccus</i>	<i>euleri</i>	Euler's Flycatcher						x	x	x				1600			446,2
<i>Lathrotriccus</i>	<i>griseipectus</i>	Grey-breasted Flycatcher	x	x	x		x							1200	MV, TR	VU	446,3
<i>Cnemotriccus</i>	<i>fuscatus</i>	Fuscous Flycatcher						x	x	x				1350			446,5
<i>Sayornis</i>	<i>nigricans</i>	Black Phoebe	x	x	x	x	x	x	x				500	2500			450,3
<i>Mitrephanes</i>	<i>olivaceus</i>	Olive Tufted Flycatcher		x				x	x				1400	2300			446,1
<i>Contopus</i>	<i>cooperi</i>	Olive-sided Flycatcher	x	x	x	x	x	x	x				700	2100		NT	448,4
<i>Contopus</i>	<i>fumigatus</i>	Smoke-colored Pewee	x	x	x	x	x	x	x				400	2800			448,6
<i>Contopus</i>	<i>sordidulus</i>	Western Wood Pewee	x	x	x	x	x	x	x				600	1800			448,1
<i>Contopus</i>	<i>virens</i>	Eastern Wood Pewee						x	x	x				1400			448,2
<i>Contopus</i>	<i>punensis</i>	Tumbes Pewee	x	x	x	x	x	x						2800			448,3
<i>Contopus</i>	<i>nigrescens</i>	Blackish Pewee						x	x				600	1500			448,5
<i>Empidonax</i>	<i>alorum</i>	Alder Flycatcher	x	x			x	x	x	x				3200			446,4
<i>Pyrocephalus</i>	<i>rubinus</i>	Vermilion Flycatcher	x	x	x	x	x	x	x	x				2800			450,1



<i>Knipolegus</i>	<i>poecilocercus</i>	Amazonian Black Tyrant								x		300				452,3
<i>Knipolegus</i>	<i>signatus</i>	Andean Tyrant		x		x	x	x	x			1800	2700			452,1
<i>Knipolegus</i>	<i>poecilurus</i>	Rufous-tailed Tyrant		x		x	x	x	x			900	2300			452,6
<i>Knipolegus</i>	<i>orenocensis</i>	Riverside Tyrant								x			300			452,4
<i>Knipolegus</i>	<i>aterrimus</i>	White-winged Black Tyrant				x	x		x			1800	3600			452,2
<i>Ochthornis</i>	<i>littoralis</i>	Drab Water Tyrant						x	x	x			500			454,2
<i>Muscisaxicola</i>	<i>fluviatilis</i>	Little Ground Tyrant							x	x			1500			454,1
<i>Muscisaxicola</i>	<i>maculirostris</i>	Spot-billed Ground Tyrant				x	x	x				2000	4500			454,3
<i>Muscisaxicola</i>	<i>griseus</i>	Taczanowski's Ground Tyrant		x	x	x	x	x	x			3200	4800			456,4
<i>Muscisaxicola</i>	<i>albifrons</i>	White-fronted Ground Tyrant				x	x		x			2900	4200			456,7
<i>Muscisaxicola</i>	<i>flavinucha</i>	Ochre-naped Ground Tyrant				x	?					3800	4900			458,5
<i>Muscisaxicola</i>	<i>rufivertex</i>	Rufous-naped Ground Tyrant				x	x		x			2700	4200			456,2
<i>Muscisaxicola</i>	<i>albilora</i>	White-browed Ground Tyrant				x	x	?	x			2900	4200			456,7
<i>Agriornis</i>	<i>montanus</i>	Black-billed Shrike-Tyrant		x	x	x	x	x	x			2200	4500			458,3
<i>Agriornis</i>	<i>albicauda</i>	White-tailed Shrike-Tyrant		x	x	x	x	x				2400	4300		VU	458,1
<i>Myiotheretes</i>	<i>striaticollis</i>	Streak-throated Bush Tyrant		x	x	x	x	x	x			1700	3700			460,2
<i>Myiotheretes</i>	<i>fumigatus</i>	Smoky Bush Tyrant		x	x	x	x	x	x			2300	3450			460,6
<i>Cnemarchus</i>	<i>erythropygius</i>	Red-rumped Bush Tyrant		x		x	x	x	x			3000	4300			460,1
<i>Polioxolmis</i>	<i>rufipennis</i>	Rufous-webbed Bush Tyrant				x	x	x				3100	4600			460,4
<i>Fluvicola</i>	<i>pica</i>	Pied Water Tyrant								x			500			450,4
<i>Fluvicola</i>	<i>albiventer</i>	Black-backed Water Tyrant								x			1000			0
<i>Fluvicola</i>	<i>nengeta</i>	Masked Water Tyrant		x	x								800			450,5
<i>Arundinicola</i>	<i>leucocephala</i>	White-headed Marsh Tyrant								x			300			450,2
<i>Tumbezia</i>	<i>salvini</i>	Tumbes Tyrant		x	x	x	x	x					1000	TR	NT	464,3
<i>Silvicultrix</i>	<i>frontalis</i>	Crowned Chat-Tyrant			x	x	x	x	x			2800	3700			462,2
<i>Silvicultrix</i>	<i>pulchella</i>	Golden-browed Chat-Tyrant					x		x	x		1800	3100			462,4
<i>Silvicultrix</i>	<i>diadema</i>	Yellow-bellied Chat-Tyrant			x	x		x				2300	3100			462,1
<i>Silvicultrix</i>	<i>jelskii</i>	Jelski's Chat-Tyrant			x	x	x	x	x			2300	3200			462,3
<i>Ochthoeca</i>	<i>cinnamomeiventris</i>	Slaty-backed Chat-Tyrant			x			x				1500	3300			462,5
<i>Ochthoeca</i>	<i>thoracica</i>	Maroon-belted Chat-Tyrant				x	x	x	x	x		1500	3300			462,5
<i>Ochthoeca</i>	<i>rufipectoralis</i>	Rufous-breasted Chat-Tyrant			x	x	x	x	x	x		2300	4100			464,4
<i>Ochthoeca</i>	<i>fumicolor</i>	Brown-backed Chat-Tyrant			x	x	x	x	x	x		2500	4100			464,2
<i>Ochthoeca</i>	<i>oenanthoides</i>	D'Orbigny's Chat-Tyrant					x					3000	4600			464,1
<i>Ochthoeca</i>	<i>leucophrys</i>	White-browed Chat-Tyrant				x	x	x				2400	4200			464,6
<i>Ochthoeca</i>	<i>piurae</i>	Piura Chat-Tyrant			x	x	x	x				1400	2850	TR	NT	464,5
<i>Colonia</i>	<i>colonus</i>	Long-tailed Tyrant			x		x	x	x				2300			472,1
<i>Muscigralla</i>	<i>brevicauda</i>	Short-tailed Field Tyrant		x	x	x	x	x	x				1200			454,4

<i>Legatus</i>	<i>leucophaeus</i>	Piratic Flycatcher					x	x	x	x		1400			466,2
<i>Myiozetetes</i>	<i>similis</i>	Social Flycatcher	x			x	x	x	x	x		1800			470,5
<i>Myiozetetes</i>	<i>granadensis</i>	Grey-capped Flycatcher					x	x	x			1400			468,2
<i>Myiozetetes</i>	<i>luteiventris</i>	Dusky-chested Flycatcher						x	x	x		1000			468,1
<i>Pitangus</i>	<i>sulphuratus</i>	Great Kiskadee					x	x	x	x		1200			470,3
<i>Philohydor</i>	<i>lictor</i>	Lesser Kiskadee						x	x	x		750			470,2
<i>Conopias</i>	<i>parvus</i>	Yellow-throated Flycatcher								x		300			468,6
<i>Conopias</i>	<i>trivirgatus</i>	Three-striped Flycatcher									x	300			468,5
<i>Conopias</i>	<i>cinchoneti</i>	Lemon-browed Flycatcher				x	x	x	x			800	1950		468,4
<i>Myiodynastes</i>	<i>chrysocephalus</i>	Golden-crowned Flycatcher		x	x	x	x	x	x			600	2700		466,6
<i>Myiodynastes</i>	<i>bairdii</i>	Baird's Flycatcher	x	x	x	x	x					1200	TR		466,5
<i>Myiodynastes</i>	<i>luteiventris</i>	Sulphur-bellied Flycatcher						x	x	x		350	1200		466,3
<i>Myiodynastes</i>	<i>maculatus</i>	Streaked Flycatcher	x	x	x	x	x	x	x	x		2000			466,4
<i>Megarynchus</i>	<i>pitangua</i>	Boat-billed Flycatcher	x	x			x	x	x	x		1200			470,1
<i>Tyrannopsis</i>	<i>sulphurea</i>	Sulphury Flycatcher							x	x		600			474,1
<i>Empidonomus</i>	<i>varius</i>	Variiegated Flycatcher							x	x		500			466,1
<i>Griseotyrannus</i>	<i>aurantioatrocristatus</i>	Crowned Slaty Flycatcher						x	x	x		1000			472,3
<i>Tyrannus</i>	<i>niveigularis</i>	Snowy-throated Kingbird	x	x	x	x	x					700			474,3
<i>Tyrannus</i>	<i>albogularis</i>	White-throated Kingbird								x		500			474,4
<i>Tyrannus</i>	<i>melancholicus</i>	Tropical Kingbird	x	x	x	x	x	x	x	x		3500			474,2
<i>Tyrannus</i>	<i>savana</i>	Fork-tailed Flycatcher							x	x		1000			472,2
<i>Tyrannus</i>	<i>tyrannus</i>	Eastern Kingbird						x	x	x		1900			472,4
<i>Rhytipterna</i>	<i>simplex</i>	Greyish Mourner						x	x	x		1400			486,2
<i>Sirystes</i>	<i>sibilator</i>	Eastern Sirystes						x	x	x		700			472,6
<i>Myiarchus</i>	<i>semirufus</i>	Rufous Flycatcher	x	x	x	x	x					700	TR	EN	478,2
<i>Myiarchus</i>	<i>tuberculifer</i>	Dusky-capped Flycatcher	x	x	x	x	x	x	x	x	1000	3250			476,4
<i>Myiarchus</i>	<i>swainsoni</i>	Swainson's Flycatcher						x	x	x		600			476,1
<i>Myiarchus</i>	<i>ferox</i>	Short-crested Flycatcher						x	x	x		1100			476,2
<i>Myiarchus</i>	<i>cephalotes</i>	Pale-edged Flycatcher		x	x	x	x	x	x		1100	2600			476,3
<i>Myiarchus</i>	<i>phaeocephalus</i>	Sooty-crowned Flycatcher	x	x	x	x	x	x				1200	MV, TR		476,5
<i>Myiarchus</i>	<i>crinitus</i>	Great Crested Flycatcher								x		300			474
<i>Myiarchus</i>	<i>tyrannulus</i>	Brown-crested Flycatcher				x	x	x	x			1200			474,5
<i>Ramphotrigon</i>	<i>ruficauda</i>	Rufous-tailed Flatbill							x	x		700			436,2
<i>Attila</i>	<i>cinnamomeus</i>	Cinnamon Attila								x		500			482,3
<i>Attila</i>	<i>torridus</i>	Ochraceous Attila	x									800		VU	482,4
<i>Attila</i>	<i>citriniventris</i>	Citron-bellied Attila								x		300			482,1
<i>Attila</i>	<i>bolivianus</i>	White-eyed (Dull-capped) Attila								x		500			482,5

<i>Attila</i>	<i>spadiceus</i>	Bright-rumped Attila							x	x	x			1200			482,2
<b>Cotingidae</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Ampelion</i>	<i>rubrocristatus</i>	Red-crested Cotinga		x	x	x	x	x	x					2400	3700		488,2
<i>Ampelion</i>	<i>rufaxilla</i>	Chestnut-crested Cotinga			x	x	x	x	x					1700	2800		488,4
<i>Doliornis</i>	<i>sclateri</i>	Bay-vented Cotinga					x	x	?					2600	3800	NEPC	VU
<i>Phytotoma</i>	<i>raimondii</i>	Peruvian Plantcutter		x	x	x	x								550	TR	EN
<i>Pipreola</i>	<i>intermedia</i>	Band-tailed Fruiteater				x			x					2100	3000		490,3
<i>Pipreola</i>	<i>arcuata</i>	Barred Fruiteater		x	x	x	x	x	x					2100	3500		490,2
<i>Pipreola</i>	<i>lubomirskii</i>	Black-chested Fruiteater		x	x		x	x	x					1600	2300	EPEA	
<i>Pipreola</i>	<i>pulchra</i>	Masked Fruiteater				x		x	x					1600	2400	EPEA	
<i>Pipreola</i>	<i>frontalis</i>	Scarlet-breasted Fruiteater				x		x	x					900	2000		492,3
<i>Pipreola</i>	<i>chlorolepidota</i>	Fiery-throated Fruiteater					x	x	x	x				500	1500		NT
<i>Pipreola</i>	<i>riefferii</i>	Green-and-Black Fruiteater		x	x	x	x	x	x					1700	2900		490,4
<i>Ampelioides</i>	<i>tschudii</i>	Scaled Fruiteater		x			x	x	x					700	1800		490,6
<i>Rupicola</i>	<i>peruvianus</i>	Andean Cock-of-the-rock		x		x	x	x	x	x				500	2300		496,1
<i>Phoenicircus</i>	<i>nigricollis</i>	Black-necked Red Cotinga									x				500		496,2
<i>Cotinga</i>	<i>maynana</i>	Plum-throated Cotinga						x	x	x					1000		494,6
<i>Cotinga</i>	<i>cotinga</i>	Purple-breasted Cotinga							x	x					700		494,5
<i>Cotinga</i>	<i>cayana</i>	Spangled Cotinga						x	x	x					800		494,4
<i>Lipaugus</i>	<i>fuscocinereus</i>	Dusky Piha		x			x							2125	2250		486,5
<i>Lipaugus</i>	<i>vociferans</i>	Screaming Piha						x	x	x					1150		486,1
<i>Snowornis</i>	<i>subalaris</i>	Grey-tailed Piha					x	x	x	x				800	1350		492,5
<i>Snowornis</i>	<i>cryptolophus</i>	Olivaceous Piha					x	x	x					1350	2300		492,6
<i>Porphyrolaema</i>	<i>porphyrolaema</i>	Purple-throated Cotinga						x	x	x					450		494,3
<i>Xipholena</i>	<i>punicea</i>	Pompadour Cotinga									x				300		484,5
<i>Gymnoderus</i>	<i>foetidus</i>	Bare-necked Fruitcrow						x	x	x					600		494,2
<i>Querula</i>	<i>purpurata</i>	Purple-throated Fruitcrow						x	x	x					1000		486,6
<i>Pyroderus</i>	<i>scutatus</i>	Red-ruffed Fruitcrow				x		x	x					1100	2100		496,3
<i>Cephalopterus</i>	<i>ornatus</i>	Amazonian Umbrellabird					x	x	x	x				600	1650		494,1
<b>Pipridae</b>			<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Neopelma</i>	<i>chrysocephalum</i>	Saffron-crested Tyrant-Manakin								x					300		498,5
<i>Neopelma</i>	<i>sulphureiventer</i>	Sulphur-bellied Tyrant-Manakin							x	x					1000		498,3
<i>Tyranneutes</i>	<i>stolzmanni</i>	Dwarf Tyrant-Manakin						x	x	x					800		498,4
<i>Masius</i>	<i>chrysopterus</i>	Golden-winged Manakin		x			x	x	?					1200	2000		498,6
<i>Machaeropterus</i>	<i>striolatus</i>	Western Striped Manakin						x	x	x					1050		498,1
	<i>p. (s.) aureopectus</i>								x						1000	1350	[498.1]
<i>Machaeropterus</i>	<i>pyrocephalus</i>	Fiery-capped Manakin							x						1500		498,2

<i>Lepidothrix</i>	<i>coronata</i>	Blue-crowned Manakin						x	x	x		1400			502,6
<i>Lepidothrix</i>	<i>isidorei</i>	Blue-rumped Manakin						x	x			1100	1400		502,5
	<i>i. leucopygia</i>	(Milky-rumped) Blue-rumped Manakin						x	x			1100	1400		[502,5]
<i>Manacus</i>	<i>manacus</i>	White-bearded Manakin	x					x	x	x		1000			502,4
<i>Chiroxiphia</i>	<i>pareola</i>	Blue-backed Manakin						x	x	x		750			502,2
<i>Xenopipo</i>	<i>holochlora</i>	Green Manakin					x	x	x			400	1100		500,4
<i>Xenopipo</i>	<i>unicolor</i>	Jet Manakin		x		x	x	x	x			900	2200		500,3
<i>Xenopipo</i>	<i>atronitens</i>	Black Manakin								x		300			500,1
<i>Heterocercus</i>	<i>aurantiivertex</i>	Orange-crowned Manakin								x		400	UANL		500,5
<i>Pipra</i>	<i>filicauda</i>	Wire-tailed Manakin						x	x	x		500			504,1
<i>Pipra</i>	<i>fasciicauda</i>	Band-tailed Manakin							x	x		1000			504,2
<i>Dixiphia</i>	<i>pipra</i>	White-crowned Manakin				x		x	x	x		2000			500,2
<i>Dixiphia</i>	<i>chloromeros</i>	Round-tailed Manakin							x	x		1500			504,5
<i>Dixiphia</i>	<i>erythrocephala</i>	Golden-headed Manakin					x	x	x	x		1350			504,3
<i>Dixiphia</i>	<i>rubrocapilla</i>	Red-headed Manakin								x		500			504,4
<b>Tityridae</b>		<b>Tityras, Becards and allies</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Oxyruncus</i>	<i>cristatus</i>	Sharpbill						x	x	x		750	1750		492,4
<i>Onychorhynchus</i>	<i>coronatus</i>	Amazonian Royal Flycatcher						x	x	x		400			450,6
<i>Onychorhynchus</i>	<i>occidentalis</i>	Pacific Royal Flycatcher	x									1200	TR	VU	450,6
<i>Myiobius</i>	<i>villosus</i>	Tawny-breasted Myiobius		x	x	x	x	x	x			650	2000		422,3
<i>Myiobius</i>	<i>sulphureipygius</i>	Sulphur-rumped Myiobius						x	x	x		750			422,2
<i>Myiobius</i>	<i>atricaudus</i>	Black-tailed Myiobius	x					x	x	x		1100			422,1
<i>Terentotriccus</i>	<i>erythrurus</i>	Ruddy-tailed Flycatcher					x	x	x	x		1300			442,2
<i>Tityra</i>	<i>inquisitor</i>	Black-crowned Tityra						x	x	x		600			484,4
<i>Tityra</i>	<i>cayana</i>	Black-tailed Tityra							x	x		700			484,1
<i>Tityra</i>	<i>semifasciata</i>	Masked Tityra						x	x	x		1600			484,2
<i>Schiffornis</i>	<i>major</i>	Varzea Schiffornis							x	x		500			496,4
<i>Schiffornis</i>	<i>turdina rosenbergi</i>	Thrush-like Schiffornis	x									1500			496,5
	<i>t. aenea</i>	Thrush-like Schiffornis (amazonian)					x	x	x			800	1600		[496,5]
	<i>t. amazona</i>	Thrush-like Schiffornis (east foothills)						x	x	x		1500			[496,5]
<i>Laniocera</i>	<i>hypopyrra</i>	Cinereous Mourner						x	x	x		900			486,4
<i>Iodopleura</i>	<i>isabellae</i>	White-browed Purpletuff						x	x	x		850			484,6
<i>Laniisoma</i>	<i>buckleyi</i>	Andean Laniisoma					x	x	x	x		750	1800		490,5
<i>Pachyramphus</i>	<i>xanthogenys</i>	Yellow-cheeked Becard					x	x	x			500	1500		480,7
<i>Pachyramphus</i>	<i>versicolor</i>	Barred Becard		x	x	x	x	x	x			1500	3000		480,5
<i>Pachyramphus</i>	<i>spodiurus</i>	Slaty Becard	x	x								750	MV, TR	EN	480,4
<i>Pachyramphus</i>	<i>rufus</i>	Cinereous Becard								x		300			478,5



<i>Progne</i>	<i>murphyi</i>	Peruvian Martin		x	x	x								100		VU	512,3
<i>Progne</i>	<i>elegans</i>	Southern Martin										x		500			512,4
<i>Progne</i>	<i>tapera</i>	Brown-chested Martin	x	x				x	x	x				600			512,1
<i>Notiochelidon</i>	<i>cyanoleuca</i>	Blue-and-white Swallow	x	x	x	x	x	x	x	x				4300			514,2
<i>Notiochelidon</i>	<i>murina</i>	Brown-bellied Swallow		x	x	x	x	x	x				2200	4300			514,5
<i>Notiochelidon</i>	<i>flavipes</i>	Pale-footed Swallow		x	x	x	x	x	x				2000	3500			514,3
<i>Atticora</i>	<i>fasciata</i>	White-banded Swallow					x	x	x	x				1000			514,7
<i>Neochelidon</i>	<i>tibialis</i>	White-thighed Swallow						x	x	x				1250			514,4
<i>Stelgidopteryx</i>	<i>ruficollis</i>	Southern Rough-winged Swallow	x	x			x	x	x	x				1500			516,4
<i>Hirundo</i>	<i>rustica</i>	Barn Swallow	x	x	x	x	x	x	x	x				4000			516,2
<i>Petrochelidon</i>	<i>pyrrhonota</i>	American Cliff Swallow	x	x	x	x	x	x	x	x				4000			516,5
<i>Petrochelidon</i>	<i>rufocollaris</i>	Chestnut-collared Swallow		x	x	x								1000			516,6
<b>Donacobiidae</b>		<b>Donacobius</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Donacobius</i>	<i>atricapilla</i>	Black-capped Donacobius						x	x	x				600			528,4
<b>Troglodytidae</b>		<b>Wrens</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>							
<i>Campylorhynchus</i>	<i>fasciatus</i>	Fasciated Wren	x	x	x	x	x	x						1500			520,2
<i>Campylorhynchus</i>	<i>turdinus</i>	Thrush-like Wren						x	x	x				1500			520,1
<i>Odontorchilus</i>	<i>branickii</i>	Grey-mantled Wren		x		x	x	x	x				750	1800			522,5
<i>Cinnycerthia</i>	<i>unirufa</i>	Rufous Wren		x			x						2200	3200			526,1
<i>Cinnycerthia</i>	<i>olivascens</i>	Sepia-brown (Sharpe's) Wren		x	x		x	x	x				2000	3300			526,2
<i>Cinnycerthia</i>	<i>peruana</i>	Peruvian Wren				x		x	x				2400	3350			526,4
<i>Cistothorus</i>	<i>platensis</i>	Sedge Wren		x	x	x	x	x	x				2300	4600			526,5
<i>Thryothorus</i>	<i>euophrys</i>	Plain-tailed Wren		x		x	x	x	x				2200	3200			524,3
<i>Thryothorus</i>	<i>genibarbis</i>	Moustached Wren												1500			524,2
<i>Thryothorus</i>	<i>coraya</i>	Coraya Wren						x	x	x				2000			524,1
<i>Thryothorus</i>	<i>sclateri paucimaculatus</i>	Speckle-breasted Wren	x	x	x								400	2000			524,6
	<i>s. sclateri</i>	'Marañon' Speckle-breasted Wren					x	x					-	-			[524,6]
<i>Thryothorus</i>	<i>leucotis</i>	Buff-breasted Wren						x	x	x				500			524,7
<i>Thryothorus</i>	<i>superciliaris</i>	Superciliated Wren	x	x	x	x	x							1000	TR		524,5
<i>Troglodytes</i>	<i>aedon</i>	House Wren	x	x	x	x	x	x	x	x				4600			528,2
<i>Troglodytes</i>	<i>solstitialis</i>	Mountain Wren		x	x	x	x	x	x				2000	3600			528,1
<i>Henicorhina</i>	<i>leucosticta</i>	White-breasted Wood Wren				?	x	x	x	x			600	1400			520,5
<i>Henicorhina</i>	<i>leucophrys</i>	Grey-breasted Wood Wren	x	x	x	x	x	x	x				750	2850			520,4
<i>Henicorhina</i>	<i>leucoptera</i>	Bar-winged Wood Wren				x	x	x	x				1350	2600	ARTF, NEPC	NT	520,3
<i>Microcerculus</i>	<i>marginatus</i>	Southern Nightingale-Wren (Scaly-breasted)						x	x	x				1200			522,4
<i>Microcerculus</i>	<i>bambla</i>	Wing-banded Wren												1000			522,3
<i>Cyphorhinus</i>	<i>thoracicus</i>	Chestnut-breasted Wren		x		x	x	x	x				1200	2700			522,1
<i>Cyphorhinus</i>	<i>arada</i>	Musician Wren						x	x	x				500			522,2

<b>Poliophtidae</b>		<b>Gnatwrens</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Microbates</i>	<i>collaris</i>	Collared Gnatwren								x		300		530,3	
<i>Microbates</i>	<i>cinereiventris</i>	Tawny-faced Gnatwren						x	x	x	450	1000		530,4	
<i>Ramphocaenus</i>	<i>melanurus</i>	Long-billed Gnatwren	x	x				x	x	x		800		530,5	
<i>Poliophtila</i>	<i>plumbea maior</i>	'Marañon' Tropical Gnatcatcher				x	x	x			200	2700		530,2	
	<i>p. bilineata</i>	'northwest' Tropical Gnatcatcher	x	x	x	x	x					700		[530.2]	
	<i>p. parvirostris</i>	'amazonia' Tropical Gnatcatcher						x	x	x		1000		[530.2]	
<i>Poliophtila</i>	<i>clementsi</i>	Iquitos Gnatcatcher								x		300	?	CR	530,1
<b>Mimidae</b>		<b>Mockingbirds</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Mimus</i>	<i>longicaudatus</i>	Long-tailed Mockingbird	x	x	x	x	x	x	?			2600		528,3	
<b>Turdidae</b>		<b>Thrushs</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Myadestes</i>	<i>ralloides</i>	Andean Solitaire		x		x	x	x	x		600	2900		532,2	
<i>Catharus</i>	<i>fuscater</i>	Slaty-backed Nightingale-Thrush		x	x	x	x	x	x		1200	3300		534,1	
<i>Catharus</i>	<i>dryas</i>	Spotted Nightingale-Thrush	x	x			x	x	x	x	400	1800		534,2	
<i>Catharus</i>	<i>fuscescens</i>	Veery								x		300		534,5	
<i>Catharus</i>	<i>minimus</i>	Grey-cheeked Thrush						x	x	x		500		534,3	
<i>Catharus</i>	<i>ustulatus</i>	Swainson's Thrush	x	x	x	x	x	x	x	x	600	3500		534,4	
<i>Entomodestes</i>	<i>leucotis</i>	White-eared Solitaire				x		x	x		1200	2900		532,4	
<i>Turdus</i>	<i>leucops</i>	Pale-eyed Thrush		x		x	x	x	x		850	2600		536,4	
<i>Turdus</i>	<i>fuscater</i>	Great Thrush		x	x	x	x	x	x		2400	4200		536,2	
<i>Turdus</i>	<i>chiguanco</i>	Chiguanco Thrush		x	x	x	x	x	x		1600	4300		536,1	
<i>Turdus</i>	<i>serranus</i>	Glossy-black Thrush		x		x	x	x	x		1400	3000		536,3	
<i>Turdus</i>	<i>nigriceps</i>	Andean Slaty Thrush		x	x	x	x	x	x		700	1800		538,4	
<i>Turdus</i>	<i>reevei</i>	Plumbeous-backed Thrush	x	x	x		x					1500	TR	538,3	
<i>Turdus</i>	<i>maranonicus</i>	Marañon Thrush			x	x	x	x			400	2000	MV	532,3	
<i>Turdus</i>	<i>fulviventris</i>	Chestnut-bellied Thrush		x			x				1800	2350		538,5	
<i>Turdus</i>	<i>obsoletus</i>	Pale-vented Thrush	x								400	800		532,5	
<i>Turdus</i>	<i>nudigenis</i>	Bare-eyed Robin	x								400	750		532,6	
<i>Turdus</i>	<i>leucomelas</i>	Pale-breasted Thrush							x		800	1400		540,3	
<i>Turdus</i>	<i>ignobilis</i>	Black-billed Thrush				x	x	x	x	x		1200		540,2	
<i>Turdus</i>	<i>lawrencii</i>	Lawrence's Thrush						x	x	x		700		538,1	
<i>Turdus</i>	<i>hauxwelli</i>	Hauxwell's Thrush						x	x	x	700	1850		538,4	
<i>Turdus</i>	<i>maculirostris</i>	Ecuadorian Thrush	x								400	750	TR	532,6	
<i>Turdus</i>	<i>albicollis</i>	White-necked Thrush				x	x	x	x	x		1300		538,2	
<b>Cinclidae</b>		<b>Dippers</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Cinclus</i>	<i>leucocephalus</i>	White-capped Dipper		x	x	x	x	x	x		900	4200		540,5	
<b>Passeridae</b>		<b>Old World Sparrows</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					

<i>Passer domesticus</i>	House Sparrow	x	x	x	x	x	x	x			2000			636,4
<b>Motacillidae</b>	<b>Pipits</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Anthus lutescens</i>	Yellowish Pipit		x	x	x						450			518,5
<i>Anthus bogotensis</i>	Paramo Pipit		x	x	x	x	x	x		2950	4400			518,7
<b>Fringillidae</b>	<b>Euphonias &amp; Siskins</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Euphonia plumbea</i>	Plumbeous Euphonia							x	x		600			636
<i>Euphonia chlorotica</i>	Purple-throated Euphonia				x	x	x	x	x		1400			634,4
<i>Euphonia saturata</i>	Orange-crowned Euphonia	x	x								800			634,5
<i>Euphonia lanirostris</i>	Thick-billed Euphonia	x	x	x		x	x	x			1200			634,2
<i>Euphonia cyanocephala</i>	Golden-rumped Euphonia		x	x	x	x	x	x		1300	2600			636,1
<i>Euphonia chrysopasta</i>	White-lored Euphonia						x	x	x		1200			636,2
<i>Euphonia mesochrysa</i>	Bronze-green Euphonia		x		x	x	x	x		1000	2000			636,3
<i>Euphonia minuta</i>	White-vented Euphonia					?	x	x	x		1500			634,6
<i>Euphonia xanthogaster</i>	Orange-bellied Euphonia	x	x	x	x	x	x	x	x		2450			634,3
<i>Euphonia rufiventris</i>	Rufous-bellied Euphonia						x	x	x		1000			634,1
<i>Chlorophonia cyanea</i>	Blue-naped Chlorophonia		x	x		x	x	x		900	2100			632,5
<i>Chlorophonia pyrrhophrys</i>	Chestnut-breasted Chlorophonia		x		x	x	x	x		1700	2450			632,4
<i>Carduelis magellanica</i>	Hooded Siskin	x	x	x	x	x	x				4200			630,3
<i>Carduelis siemiradzkii</i>	Saffron Siskin	x	x								750	TR	VU	630,4
<i>Carduelis olivacea</i>	Olivaceous Siskin		x	x	x	x	x	x		1100	2500			630,5
<i>Carduelis xanthogastra</i>	Yellow-bellied Siskin	x								750	950			632,1
<i>Carduelis psaltria</i>	Lesser Goldfinch		x	x	x	x	x			1200	2800			632,3
<b>Parulidae</b>	<b>Warblers</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Parula pitiayumi</i>	Tropical Parula	x	x	x	x	x	x	x		200	1900			612,2
<i>Dendroica aestiva</i>	American Yellow Warbler							x			400			614,3
<i>Dendroica petechia</i>	Mangrove Warbler	x	x								100			614,3
<i>Dendroica striata</i>	Blackpoll Warbler						x	x	x		500			612,4
<i>Dendroica fusca</i>	Blackburnian Warbler	x	x	x	x	x	x	x		950	3000			612,3
<i>Dendroica cerulea</i>	Cerulean Warbler						x	x		700	1500		VU	612,1
<i>Mniotilta varia</i>	Black-and-white Warbler										2200			612
<i>Setophaga ruticilla</i>	American Redstart										3000			614
<i>Seiurus noveboracensis</i>	Northern Waterthrush								x		400			618
<i>Oporornis agilis</i>	Connecticut Warbler										400			618
<i>Geothlypis auricularis</i>	Black-lored Yellowthroat	x	x	x	x	x	x				3200			618,4
	<i>a. peruviana</i>		x	x	x	x	x				2700			[618.4]
<i>Wilsonia canadensis</i>	Canada Warbler					x	x			650	1600			614,1
<i>Myioborus miniatus</i>	Slate-throated Whitestart	x	x	x	x	x	x	x		700	2600			614,2



<i>Myioborus</i>	<i>melanocephalus</i>	Spectacled Whitestart		x	x	x	x	x	x			1800	3450			614,4
<i>Basileuterus</i>	<i>fraseri</i>	Grey-and-gold Warbler	x	x	x		x					400	1800	TR		616,6
<i>Basileuterus</i>	<i>luteoviridis</i>	Citrine Warbler		x	x	x	x	x	x			2500	3700			616,2
<i>Basileuterus</i>	<i>nigrocristatus</i>	Black-crested Warbler		x	x	x	x	x	x			1800	3300			616,5
<i>Basileuterus</i>	<i>coronatus</i>	Russet-crowned Warbler		x	x	x	x	x	x			1100	3150			618,3
<i>Basileuterus</i>	<i>tristriatus</i>	Three-striped Warbler		x		x	x	x	x			1050	2200			618,2
<i>Basileuterus</i>	<i>trifasciatus</i>	Three-banded Warbler	x	x	x	x	x					650	3000	TR		618,1
<i>Phaeothlypis</i>	<i>fulvicauda</i>	Buff-rumped Warbler					x	x	x	x			1200			618,5
<b>Icteridae</b>		<b>Blackbirds</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>						
<i>Clypicterus</i>	<i>oseryi</i>	Casqued Oropendola						x	x	x			1000			620,3
<i>Psarocolius</i>	<i>decumanus</i>	Crested Oropendola						x	x	x			1200			620,5
<i>Psarocolius</i>	<i>viridis</i>	Green Oropendola								x			500			620,4
<i>Psarocolius</i>	<i>angustifrons</i>	Russet-backed Oropendola		x		x	x	x	x	x			2000			620,2
<i>Psarocolius</i>	<i>bifasciatus</i>	Olive Oropendola						x	x	x			1000			620,6
<i>Ocyalus</i>	<i>latirostris</i>	Band-tailed Oropendola								x		800	2600			620,1
<i>Cacicus</i>	<i>cela</i>	Yellow-rumped Cacique	x	x			x	x	x	x			1300			622,2
<i>Cacicus</i>	<i>haemorrhous</i>	Red-rumped Cacique								x			1000			622,7
<i>Cacicus</i>	<i>uropygialis</i>	Subtropical Cacique		x		x	x	x	x			900	1900			622,6
<i>Cacicus</i>	<i>leucoramphus</i>	Northern Mountain Cacique		x		x	x	x	x			1800	3450			622,5
<i>Cacicus</i>	<i>sclateri</i>	Ecuadorian Cacique								x			400	UANL		0
<i>Cacicus</i>	<i>solitarius</i>	Solitary Cacique						x	x	x			1300			624,7
<i>Amblycercus</i>	<i>holosericeus</i>	Yellow-billed Cacique	x	x	x	x	x	x	x			750	3350			622,3
<i>Icterus</i>	<i>croconotus</i>	Orange-backed Troupial						x	x	x			1100			626,5
<i>Icterus</i>	<i>graceannae</i>	White-edged Oriole	x	x	x	x	x						1800	TR		626,1
<i>Icterus</i>	<i>chrysocephalus</i>	Moriche Oriole						x	x	x			1500			626,2
<i>Icterus</i>	<i>mesomelas</i>	Yellow-tailed Oriole	x	x	x	x	x	x					1700			626,4
<i>Icterus</i>	<i>cayanensis</i>	Epaulet Oriole								x			1200			626,3
<i>Gymnomystax</i>	<i>mexicanus</i>	Oriole Blackbird							x	x			1000			626,7
<i>Lamprosar</i>	<i>tanagrinus</i>	Velvet-fronted Grackle								x			500			624,6
<i>Agelasticus</i>	<i>xanthophthalmus</i>	Pale-eyed Blackbird							x				300			628,3
<i>Chrysomus</i>	<i>icterocephalus</i>	Yellow-hooded Blackbird								x			300			628,2
<i>Quiscalus</i>	<i>mexicanus</i>	Great-tailed Grackle	x										100			626,6
<i>Molothrus</i>	<i>oryzivorus</i>	Giant Cowbird	x			x	x	x	x	x			1200			624,1
<i>Molothrus</i>	<i>bonariensis</i>	Shiny Cowbird	x	x	x	x	x	x	x	x			2900			624,2
<i>Dives</i>	<i>warczewiczi</i>	Scrub Blackbird	x	x	x	x	x	x					3600			624,4
<i>Sturnella</i>	<i>militaris</i>	Red-breasted Blackbird								x			300			628,5
<i>Sturnella</i>	<i>bellicosa</i>	Peruvian Meadowlark	x	x	x	x	x	x					3000			628,7

<i>Dolichonyx</i>	<i>oryzivorus</i>	Bobolink							x	x				3450			628,1	
<b>Coerebidae</b>		<b>Bananaquits</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>								
<i>Coereba</i>	<i>flaveola</i>	Bananaquit	x	x	x	x	x	x	x	x				2800			614,5	
<b>Emberizidae</b>		<b>Sparrows</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>								
<i>Zonotrichia</i>	<i>capensis</i>	Rufous-collared Sparrow	x	x	x	x	x	x	x					4500			608,5	
<i>Ammodramus</i>	<i>aurifrons</i>	Yellow-browed Sparrow		x	x	x	x	x	x	x				1800			582,2	
<i>Aimophila</i>	<i>stolzmanni</i>	Tumbes Sparrow	x	x	x		x							1000	TR		582,6	
<i>Arremonops</i>	<i>conirostris</i>	Black-striped Sparrow	x	x										600			582,5	
<i>Arremon</i>	<i>aurantiostrostris</i>	Orange-billed Sparrow	x	x				x	x	x				300	1100		602,1	
<i>Arremon</i>	<i>a. abeillei</i>	Black-capped Sparrow	x	x	x	x								100	1800	MV, TR	602,3	
	<i>a. nigriceps</i>	Black-capped Sparrow - Marañon form		x	x	x	x	x						200	1500		[602.3]	
<i>Arremon</i>	<i>brunneinucha</i>	Chestnut-capped Brush Finch		x	x	x	x	x	x					1300	3100		602,6	
<i>Arremon</i>	<i>torquatus</i>	Stripe-headed Brush Finch	x	x	x	x	x	x	x					400	3500		602,4	
<i>Arremon</i>	<i>castaneiceps</i>	Olive Finch		x			x	x						750	1800		602,5	
<i>Atlapetes</i>	<i>pallidinucha</i>	Pale-naped Brush Finch		x			x							2500	3200		604,3	
<i>Atlapetes</i>	<i>tricolor</i>	Tricolored Brush Finch				x			x					1750	3050		604,4	
<i>Atlapetes</i>	<i>latinuchus</i>	Rufous-naped Brush Finch		x	x	x	x	x	x					1900	3450		604,1	
<i>Atlapetes</i>	<i>rufigenis</i>	Rufous-eared Brush Finch				x	x		x					2700	4600	PHA	NT	606,6
<i>Atlapetes</i>	<i>leucopterus dresseri</i>	White-winged Brush Finch	x	x	x		x							400	2000		606,2	
	<i>l. paynteri</i>	Paynter's Brush Finch		x			x							1700	2200		[606.2]	
<i>Atlapetes</i>	<i>albiceps</i>	White-headed Brush Finch	x	x	x		x							1400		TR	606,4	
<i>Atlapetes</i>	<i>seebohmi</i>	Bay-crowned Brush Finch		x		x	x							1150	2800	TR	606,1	
<i>Paroaria</i>	<i>gularis</i>	Red-capped Cardinal						x	x	x				600			600,7	
<b>Thraupidae</b>		<b>Tanagers</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>								
<i>Schistochlamys</i>	<i>melanopsis</i>	Black-faced Tanager					x	x	x	x				900	1800		542,4	
<i>Cissopis</i>	<i>leverianus</i>	Magpie Tanager					x	x	x	x				1600			542,5	
<i>Conothraupis</i>	<i>speculigera</i>	Black-and-white Tanager	x	x	x	x	x	x	x					1500		NT	542,6	
<i>Lamprospiza</i>	<i>melanoleuca</i>	Red-billed Pied Tanager								x				600			542,7	
<i>Sericossypha</i>	<i>albocristata</i>	White-capped Tanager		x		x	x	x	x					1700	2800		570,1	
<i>Nemosia</i>	<i>pileata</i>	Hooded Tanager								x				500			574,2	
<i>Creurgops</i>	<i>verticalis</i>	Rufous-crested Tanager		x		x	x	x	x					1100	2400		544,2	
<i>Chlorothraupis</i>	<i>frenata</i>	Olive (Carmioli's) Tanager							x	x				400	1350		552,6	
<i>Hemispingus</i>	<i>atropileus</i>	Black-capped Hemispingus		x		x	x	x	x					2300	3700		546,6	
<i>Hemispingus</i>	<i>superciliaris</i>	Superciliaried Hemispingus		x		x	x	x	x					2200	3450		546,4	
<i>Hemispingus</i>	<i>frontalis</i>	Oleaginous Hemispingus		x		x	x	x	x					1500	2600		546,1	
<i>Hemispingus</i>	<i>ochraceus</i>	Western Hemispingus						x	x					1100	2200		546,2	
<i>Hemispingus</i>	<i>piurae</i>	Piura Hemispingus		x	x	x	x							1200	3050		546,2	

<i>Hemispingus</i>	<i>rufosuperciliaris</i>	Rufous-browed Hemispingus				x	x	x		2550	3500	NEPC	VU	544,5
<i>Hemispingus</i>	<i>verticalis</i>	Black-headed Hemispingus	x			x				2700	2950			544,3
<i>Hemispingus</i>	<i>xanthophthalmus</i>	Drab Hemispingus			x		x	x		2200	3350			544,4
<i>Cnemoscopus</i>	<i>r. rubrirostris</i>	Grey-hooded Bush Tanager	x			x				2000	3100			556,6
	<i>r. chrysogaster</i>	Grey-hooded Bush Tanager			x		x	x		-	-			[556.6]
<i>Thlypopsis</i>	<i>ornata</i>	Rufous-chested Tanager	x	x	x	x	x	x		1600	3300	MV		548,3
<i>Thlypopsis</i>	<i>sordida</i>	Orange-headed Tanager						x	x		1000			548,5
<i>Thlypopsis</i>	<i>inornata</i>	Buff-bellied Tanager		x	x	x	x			450	2000	MV		548,6
<i>Nephelornis</i>	<i>oneilli</i>	Pardusco			x		x	x		2000	3450	NEPC		578,6
<i>Trichothraupis</i>	<i>melanops</i>	Black-goggled Tanager			x		x	x		900	1800			552,3
<i>Eucometis</i>	<i>penicillata</i>	Grey-headed Tanager							x		600			552,5
<i>Tachyphonus</i>	<i>cristatus</i>	Flame-crested Tanager					x		x		900			550,2
<i>Tachyphonus</i>	<i>rufiventer</i>	Yellow-crested Tanager						x	x		1250			550,4
<i>Tachyphonus</i>	<i>surinamus</i>	Fulvous-crested Tanager					x	x	x		750			550,1
<i>Tachyphonus</i>	<i>luctuosus</i>	White-shouldered Tanager				x	x	x	x		1000			550,6
<i>Tachyphonus</i>	<i>rufus</i>	White-lined Tanager			x	x	x	x	x		1800			550,5
<i>Tachyphonus</i>	<i>phoenicius</i>	Red-shouldered Tanager				x	x	x	x	1000	1350			550,3
<i>Lanio</i>	<i>fulvus</i>	Fulvous Shrike-Tanager					x	x	x		1350			552,1
<i>Lanio</i>	<i>versicolor</i>	White-winged Shrike-Tanager						x	x		1200			552,2
<i>Ramphocelus</i>	<i>nigrogularis</i>	Masked Crimson Tanager					x	x	x		1100			542,3
<i>Ramphocelus</i>	<i>melanogaster</i>	Black-bellied 'Huallaga' Tanager						x		500	1800	HVsa		542,1
<i>Ramphocelus</i>	<i>carbo</i>	Silver-beaked Tanager		x	x	x	x	x	x		1800			542,2
<i>Ramphocelus</i>	<i>icteronotus</i>	Lemon-rumped Tanager	x								900			307,6
<i>Thraupis</i>	<i>episcopus</i>	Blue-grey Tanager	x	x	x	x	x	x	x		2000			554,5
<i>Thraupis</i>	<i>palmarum</i>	Palm Tanager				x	x	x	x		1600			554,4
<i>Thraupis</i>	<i>cycanocephala</i>	Blue-capped Tanager		x	x	x	x	x		1500	3100			554,1
<i>Thraupis</i>	<i>bonariensis</i>	Blue-and-yellow Tanager		x	x	x	x			2000	4200			554,2
<i>Calochaetes</i>	<i>coccineus</i>	Vermilion Tanager				x	x	x		1100	2100			576,5
<i>Wetmorethraupis</i>	<i>sterrhopteron</i>	Orange-throated Tanager					x			400	800	ARTF	VU	554,3
<i>Buthraupis</i>	<i>montana</i>	Hooded Mountain Tanager		x		x	x	x		2200	3500			558,2
<i>Buthraupis</i>	<i>eximia</i>	Black-chested Mountain Tanager		x	x		x			2850	3300			558,1
<i>Buthraupis</i>	<i>aureodorsalis</i>	Golden-backed Mountain Tanager				x		x		3000	3700	NEPC	EN	558,4
<i>Buthraupis</i>	<i>wetmorei</i>	Masked Mountain Tanager		x		x				2000	2900	CAP	VU	558,3
<i>Anisognathus</i>	<i>lacrymosus</i>	Lacrimose Mountain Tanager		x	x	x	x	x		1800	3500			560,3
<i>Anisognathus</i>	<i>igniventris</i>	Scarlet-bellied Mountain Tanager		x	x	x	x	x		2400	3500			560,2
<i>Anisognathus</i>	<i>somptuosus</i>	Blue-winged Mountain Tanager		x	x	x	x	x		1000	2200			560,1
<i>Chlorornis</i>	<i>riefferii</i>	Grass-green Tanager		x	x	x	x	x		2000	3500			558,7

<i>Dubusia</i>	<i>taeniata</i>	Buff-breasted Mountain Tanager		x	x	x	x	x	x		1900	3500			558,5
<i>Delothraupis</i>	<i>castaneiventris</i>	Chestnut-bellied Mountain Tanager				x			x		2000	3500			558,6
<i>Iridosornis</i>	<i>analís</i>	Yellow-throated Tanager		x		x	x	x	x		1000	2350			560,5
<i>Iridosornis</i>	<i>jelskii</i>	Golden-collared Tanager				x			x		2500	3700	NEPC		560,4
<i>Iridosornis</i>	<i>rufivertex</i>	Golden-crowned Tanager		x			x				2400	3000			560,6
<i>Iridosornis</i>	<i>reinhardti</i>	Yellow-scarfed Tanager				x		x	x		2000	3700	NEPC		560,7
<i>Pipraeidea</i>	<i>melanonota</i>	Fawn-breasted Tanager		x	x	x	x	x	x		1100	2900			552,4
<i>Chlorochrysa</i>	<i>calliparaea</i>	Orange-eared Tanager		x		x	x	x	x		1000	2200			570,3
<i>Tangara</i>	<i>mexicana</i>	Turquoise Tanager						x	x	x		1000			568,1
<i>Tangara</i>	<i>chilensis</i>	Paradise Tanager					x	x	x	x		1600			568,2
<i>Tangara</i>	<i>schránkii</i>	Green-and-gold Tanager					x	x	x	x		1600			566,7
<i>Tangara</i>	<i>arthus</i>	Golden Tanager		x		x	x	x	x		600	2000			562,6
<i>Tangara</i>	<i>icterocephala</i>	Silver-throated Tanager	x								800	900			562,5
<i>Tangara</i>	<i>xanthocephala</i>	Saffron-crowned Tanager		x		x	x	x	x		1000	2300			564,4
<i>Tangara</i>	<i>chrysotis</i>	Golden-eared Tanager					x	x	x		850	1600			564,7
<i>Tangara</i>	<i>parzudakii</i>	Flame-faced Tanager		x		x	x	x	x		1100	2500			562,4
<i>Tangara</i>	<i>xanthogastra</i>	Yellow-bellied Tanager						x	x	x		1500			566,5
<i>Tangara</i>	<i>punctata</i>	Spotted Tanager						x	x		600	2000			566,3
<i>Tangara</i>	<i>varia</i>	Dotted Tanager						x	x		400	1100			566,6
<i>Tangara</i>	<i>gyrola</i>	Bay-headed Tanager	x			x	x	x	x	x		1700			566,4
<i>Tangara</i>	<i>cayana</i>	Burnished-buff Tanager							x	x	1000	1150			568,5
<i>Tangara</i>	<i>ruficervix</i>	Golden-naped Tanager	x	x		x	x	x	x		1000	2400			564,3
<i>Tangara</i>	<i>labradorides</i>	Metallic-green Tanager		x			x	x	x		1350	2200			564,6
<i>Tangara</i>	<i>cyanotis</i>	Blue-browed Tanager		x		x	x	x	x		900	1950			564,5
<i>Tangara</i>	<i>cyanicollis</i>	Blue-necked Tanager		x		x	x	x	x		800	2000			566,1
<i>Tangara</i>	<i>nigrocincta</i>	Masked Tanager					x	x	x			1350			566,2
<i>Tangara</i>	<i>nigroviridis</i>	Beryl-spangled Tanager			x	x	x	x	x		1500	2900			564,2
<i>Tangara</i>	<i>vassorii</i>	Blue-and-black Tanager		x	x	x	x	x	x		1900	3500			564,1
<i>Tangara</i>	<i>viridicollis</i>	Silver-backed Tanager		x			x	x	x		1200	2600			562,2
<i>Tangara</i>	<i>argyrofenges</i>	Straw-backed Tanager					x	x	x		1100	2200	PEAF		562,1
<i>Tangara</i>	<i>velia</i>	Opal-rumped Tanager						x	x	x		750			568,3
<i>Tangara</i>	<i>callophrys</i>	Opal-crowned Tanager						x	x	x		600			568,4
<i>Tersina</i>	<i>viridis</i>	Swallow Tanager						x	x	x		1500			568,7
<i>Dacnis</i>	<i>albiventris</i>	White-bellied Dacnis							x	x		500			572,4
<i>Dacnis</i>	<i>lineata</i>	Black-faced Dacnis					x	x	x	x		1400			572,2
<i>Dacnis</i>	<i>flaviventer</i>	Yellow-bellied Dacnis						x	x	x		1000			572,1
<i>Dacnis</i>	<i>cayana</i>	Blue Dacnis					x	x	x	x		1500			572,3

<i>Cyanerpes</i>	<i>nitidus</i>	Short-billed Honeycreeper						x	x	x			1000				572,6
<i>Cyanerpes</i>	<i>caeruleus</i>	Purple Honeycreeper						x	x	x	x		1400				572,7
<i>Cyanerpes</i>	<i>cyaneus</i>	Red-legged Honeycreeper								x	x		600				572,5
<i>Chlorophanes</i>	<i>spiza</i>	Green Honeycreeper						x	x	x	x		1600				570,2
<i>Iridophanes</i>	<i>pulcherrimus</i>	Golden-collared Honeycreeper						x	x	x			1100	2000			570,4
<i>Hemithraupis</i>	<i>guira</i>	Guira Tanager	x		x			x	x	x	x		1500				548,1
<i>Hemithraupis</i>	<i>flavicollis</i>	Yellow-backed Tanager							x	x	x		1350				548,2
<i>Xenodacnis</i>	<i>parina</i>	Tit-like Dacnis				x			x	x			3200	4600			578,5
<i>Conirostrum</i>	<i>speciosum</i>	Chestnut-vented Conebill								x	x		900				574,4
<i>Conirostrum</i>	<i>bicolor</i>	Bicolored Conebill											x	300			574,1
<i>Conirostrum</i>	<i>margaritae</i>	Pearly-breasted Conebill											x	300			574,3
<i>Conirostrum</i>	<i>cinereum</i>	Cinereous Conebill	x	x	x	x	x	x					0	4200			570,6
<i>Conirostrum</i>	<i>ferrugineiventre</i>	White-browed Conebill					x				x		2600	4100			574,7
<i>Conirostrum</i>	<i>sitticolor</i>	Blue-backed Conebill		x			x	x	x	x			2300	3600			574,5
<i>Conirostrum</i>	<i>albifrons</i>	Capped Conebill		x			x	x	x	x			1500	3000			574,6
<i>Diglossa</i>	<i>sittoides</i>	Rusty Flowerpiercer		x	x	x	x	x	x	x			1200	3500			580,1
<i>Diglossa</i>	<i>lafresnayii</i>	Glossy Flowerpiercer		x				x					2000	3250			580,3
<i>Diglossa</i>	<i>mystacalis</i>	Moustached Flowerpiercer					x			x	x		2400	3700			580,2
<i>Diglossa</i>	<i>humeralis</i>	Black Flowerpiercer		x	x			x					1850	3300			580,5
<i>Diglossa</i>	<i>brunneiventris</i>	Black-throated Flowerpiercer						x	x	x	x		2400	4300			580,4
<i>Diglossa</i>	<i>albilatera</i>	White-sided Flowerpiercer		x				x	x				1650	3000			580,6
<i>Diglossopsis</i>	<i>glauca</i>	Deep-Blue Flowerpiercer							x	x	x		1000	2300			578,4
<i>Diglossopsis</i>	<i>caerulescens</i>	Bluish Flowerpiercer		x			x	x	x	x			1300	3100			578,1
<i>Diglossopsis</i>	<i>cyanea</i>	Masked Flowerpiercer		x				x	x	x	x		1500	3600			578,2
<i>Coryphospingus</i>	<i>cucullatus</i>	Red Pileated Finch						x	x				400	700			600,5
<i>Rhodospingus</i>	<i>cruentus</i>	Crimson-breasted Finch	x	x	x			x					750		TR		600,6
<i>Phrygilus</i>	<i>punensis</i>	Peruvian Sierra Finch					x	x			x		2400	4700			584,7
<i>Phrygilus</i>	<i>fruticeti</i>	Mourning Sierra Finch						x	x		x		2300	4200			586,1
<i>Phrygilus</i>	<i>unicolor</i>	Plumbeous Sierra Finch		x			x	x	x	x			3000	4700			586,3
<i>Phrygilus</i>	<i>plebejus</i>	Ash-breasted Sierra Finch	x	x	x	x	x	x	x	x			2400	4700			586,2
<i>Phrygilus</i>	<i>alaudinus</i>	Band-tailed Sierra Finch		x	x	x	x						0	4100			588,4
<i>Haplospiza</i>	<i>rustica</i>	Slaty Finch			x	x	x	x	x	x			1400	3100			594,6
<i>Piezorhina</i>	<i>cinerea</i>	Cinereous Finch	x	x	x	x	x						500		TR		588,6
<i>Incaspiza</i>	<i>personata</i>	Rufous-backed Inca Finch						x	x				2300	4000	MV, PHA		584,4
<i>Incaspiza</i>	<i>ortizi</i>	Grey-winged Inca Finch		x	x	x	x						1800	2300	MV, PHA	VU	584,1
<i>Incaspiza</i>	<i>laeta</i>	Buff-bridled Inca Finch						x	x	x			1000	2750	MV		584,5
<i>Incaspiza</i>	<i>watkinsi</i>	Little Inca Finch						x	x				350	900	MV	NT	584,3

<i>Poospiza</i>	<i>alticola</i>	Plain-tailed Warbling Finch				x	x					3100	4600	PHA	EN	590,1
<i>Poospiza</i>	<i>rubecula</i>	Rufous-breasted Warbling Finch				x	x					2500	3800	PHA	EN	590,3
<i>Poospiza</i>	<i>hispaniolensis</i>	Collared Warbling Finch	x	x	x	x	x					0	2900			590,2
<i>Sicalis</i>	<i>uropygialis</i>	Bright-rumped Yellow Finch				x	x					3300	4700			592,6
<i>Sicalis</i>	<i>olivascens</i>	Greenish Yellow Finch				x						1650	4200			592,2
<i>Sicalis</i>	<i>flaveola</i>	Saffron Finch	x	x	x	x	x	x				0	2200			592,1
<i>Sicalis</i>	<i>luteola</i>	Grassland Yellow Finch		x		x	x					1700	3900			592,4
<i>Sicalis</i>	<i>taczanowskii</i>	Sulphur-throated Finch	x	x	x	x							400	TR		590,6
<i>Emberizoides</i>	<i>herbicola</i>	Wedge-tailed Grass Finch					x	x	x			800	1450			582,1
<i>Volatinia</i>	<i>jacarina</i>	Blue-black Grassquit	x	x	x	x	x	x	x	x			2400			594,2
<i>Sporophila</i>	<i>corvina</i>	Variable Seedeater	x	x	x	x							700			596,4
<i>Sporophila</i>	<i>murallae</i>	Caqueta Seedeater								x	x		500			596,3
<i>Sporophila</i>	<i>bouvronides</i>	Lesson's Seedeater								x			800			596,1
<i>Sporophila</i>	<i>lineola</i>	Lined Seedeater								x			1300			596,2
<i>Sporophila</i>	<i>luctuosa</i>	Black-and-white Seedeater	x			x	x	x	x			450	3200			598,2
<i>Sporophila</i>	<i>nigricollis</i>	Yellow-bellied Seedeater	x				x	x	x			600	2600			598,1
<i>Sporophila</i>	<i>caerulescens</i>	Double-collared Seedeater								x			1000			596,6
<i>Sporophila</i>	<i>peruviana</i>	Parrot-billed Seedeater	x	x	x	x	x						600			594,4
<i>Sporophila</i>	<i>simplex</i>	Drab Seedeater		x	x	x	x	x	x			500	2500	PCPS, TR		594,3
<i>Sporophila</i>	<i>castaneiventris</i>	Chestnut-bellied Seedeater							x	x	x		1400			598,3
<i>Sporophila</i>	<i>telasco</i>	Chestnut-throated Seedeater	x	x	x	x	x	x					700			594,1
<i>Oryzoborus</i>	<i>angolensis</i>	Chestnut-bellied Seed Finch							x	x	x		1500			600,2
<i>Oryzoborus</i>	<i>crassirostris</i>	Large-billed Seed Finch									x		400			600,3
<i>Oryzoborus</i>	<i>atrirostris</i>	Black-billed Seed Finch								x			1050			600,4
<i>Amaurospiza</i>	<i>concolor</i>	Blue Seedeater		x			x					1700	2000			600,1
<i>Catamenia</i>	<i>analís</i>	Band-tailed Seedeater		x	x	x	x	x	x				4000			588,2
<i>Catamenia</i>	<i>inornata</i>	Plain-colored Seedeater		x	x	x	x	x	x			2600	4400			588,1
<i>Catamenia</i>	<i>homochroa</i>	Paramo Seedeater		x		x	x	x				2350	3500			588,3
<i>Tiaris</i>	<i>obscurus</i>	Dull-colored Grassquit		x	x	x	x	x				350	2100			594,5
<i>Chlorospingus</i>	<i>ophthalmicus</i>	Common Bush Tanager		x		x	x	x	x			1100	2650			556,4
<i>Chlorospingus</i>	<i>parvirostris</i>	Yellow-whiskered Bush Tanager		x		x	x	x	x			1100	2750			556,1
<i>Chlorospingus</i>	<i>flavicularis</i>	Yellow-throated Bush Tanager				x	x	x	x			750	1800			556,2
<i>Chlorospingus</i>	<i>canigularis</i>	Ashy-throated Bush Tanager	x				x	x	x			1000	1800			556,3
<i>Piranga</i>	<i>lutea</i>	Tooth-billed Tanager	x	x	x	x	x	x	x			400	2700			576,2
<i>Piranga</i>	<i>rubra</i>	Summer Tanager		x	x		x	x	x	x			1400			576,1
<i>Piranga</i>	<i>olivacea</i>	Scarlet Tanager					x	x	x	x			1500			576,4
<i>Piranga</i>	<i>leucoptera</i>	White-winged Tanager	x	x		x	x	x	x			900	1800			576,6
<i>Piranga</i>	<i>rubriceps</i>	Red-hooded Tanager		x		x	x	x	x			1800	3000			576,3

<i>Habia</i>	<i>rubica</i>	Red-crowned Ant Tanager						x	x	x		1500			556,5
<i>Catamblyrhynchus</i>	<i>diadema</i>	Plushcap		x		x	x	x	x			2000	3450		578,7
<b>Cardinalidae</b>		<b>Grosbeaks</b>	<b>TU</b>	<b>PI</b>	<b>LB</b>	<b>LL</b>	<b>CA</b>	<b>AM</b>	<b>SM</b>	<b>LO</b>					
<i>Pheucticus</i>	<i>chrysogaster</i>	Southern Yellow Grosbeak	x	x	x	x	x	x				3500			608,2
<i>Pheucticus</i>	<i>aureoventris</i>	Black-backed Grosbeak				x		x	x		1200	3200			608,3
<i>Pheucticus</i>	<i>ludovicianus</i>	Rose-breasted Grosbeak	x	x				?	?			2500			608
<i>Parkerthraustes</i>	<i>humeralis</i>	Yellow-shouldered Grosbeak						x	x	x		750			608,1
<i>Saltator</i>	<i>grossus</i>	Slate-colored Grosbeak					x	x	x	x		1800			610,5
<i>Saltator</i>	<i>maximus</i>	Buff-throated Saltator	x				x	x	x	x		1750			610,2
<i>Saltator</i>	<i>coerulescens</i>	Greyish Saltator					x	x	x	x		1200			610,1
<i>Saltator</i>	<i>nigriceps</i>	Black-cowled Saltator		x	x		x				1200	2500	TR		610,3
<i>Saltator</i>	<i>aurantiostrois</i>	Golden-billed Saltator				x	x	x	x		2100	4000			610,4
<i>Saltator</i>	<i>cinctus</i>	Masked Saltator		x		x	x	x	x		1700	3000		NT	610,6
<i>Saltator</i>	<i>striatipectus</i>	Streaked Saltator	x	x	x	x	x	x				1200			610,7
<i>Cyanocompsa</i>	<i>cyanoides</i>	Blue-black Grosbeak	x	x				x	x	x		1400			608,4
															<b>1593</b>

KEY	
	Endemic & Restricted range species
<b>Distribution by Region</b>	<b>TU</b> -Tumbes, <b>PI</b> - Piura, <b>LB</b> - Lambayeque, <b>LL</b> - La Libertad, <b>CA</b> - Cajamarca, <b>AM</b> - Amazonas, <b>SM</b> - San Martin, <b>LO</b> - Loreto
<b>Altitude m.</b>	Min. Minimum, Max. Maximum - Based on Schulenberg et al. 2007 & Clements & Shany 2001
<b>Endemica EBA</b>	Andean ridge-top forests – <b>ARTF</b> Central Andean páramo - <b>CAP</b> Ecuador-Peru East Andes - <b>EPEA</b> Marañón valley - <b>MV</b> North-east Peruvian cordilleras - <b>NEPC</b> Peru-Chile Pacific slope - <b>PCPS</b> Peruvian East Andean foothills - <b>PEAF</b> Peruvian high Andes - <b>PHA</b> Tumbesian region - <b>TR</b> Upper Amazon-Napo lowlands - <b>UANL</b> Huallaga valley (secondary area) - <b>HVsa</b>
<b>Threat IUCN</b>	<b>CR</b> – Critical, <b>EN</b> – Endangered, <b>VU</b> – Vulnerable <b>NT</b> – Near-threatened, <b>DD</b> - Data Deficient Based on IUCN Redlist 2010
<b>Birds of Peru</b>	Page number.account number (e.g. 130.6) Some species are not included in Birds of Peru and are given a '0' - Based on Schulenberg et al. 2007 & 2010 (2nd Ed.)